

Sales 800-241-9089 Auburn,GA



The Boise Cascade

Boise Cascade

Steel Guide

Rebar, Concrete Mesh, Collated Fasteners, Hand Drive Nails, Flashings, Poly Film, Plywood Clips, Concrete Accessories, House Wrap, Sub Floor Adhesives and much, much more!



Steel Guide

Contents

Page 2	Contents
Page 3	Boise Cascade Building Materials Distribution
Page 4	Reinforcing Bar
Page 5	Concrete Reinforcing Wire Rolls & Sheets, Pencil Rod
Page 6	Bundling & Tie Wire, Loop (Bar) Ties, Anchor Bolts, Wedge Anchor
Page 7	Foundation Strap, Mud Sill Anchors, Nail Stakes, Brick Ties, Rebar Pins
Page 8	Foundation Chairs, Slab Bolsters, Poly Film
Page 9	Metal Lath Sheets, Forming Ties for Alum Forms, OSHA Rebar Caps
Page 10	Plywood Clips, Wind Brace, Hurricane Ties, Roofing Felt Paper, Sub-Floor Adh.
Page 11	Titebond Sub Floor Adhesives & Caulks
Page 12	Step Flashing, Flashing Rolls, Angle Flashing
Page 13	Rain Diverter, Z Flashing, Eave Drip & Roof Edge, Starter Strip
Page 14	Drywall Screws, Framing Screws
Page 15	Paper Tape Fasteners, Siding Nails, Finish Brads, Positive Placement Fasteners
Page 16	Coil Roofing Nails, Staples, Plastic Strip Collated Nails, Coil Wire Collated Nails
Page 17	Hand Drive Nails (Roofing, Plastic Cap, Joist Hanger, Drywall)
Page 18	Hand Drive Nails (Vinyl Coated Sinkers, Common, Spikes, Masonry, Duplex)
Page 19	House Wrap, Roof Underlayment, Ice & Water, Soffit Vent
Page 20	Grace Products, Window Tape Flashing
Page 21	Xtreme Trim
Page 22	Rebar, Lumber & Plywood Conversion Charts
Page 23	Boise Cascade Company Values & Principles



Boise Cascade Building Materials Distribution

Boise Cascade Building Materials Distribution provides retail lumber dealers, home improvement centers, and industrial customers the products and services they need. We combine the leverage of a national distributor with the autonomy of a local operator.

Our inventories are broad and deep – offering everything from nails to sophisticated engineered wood products. Our people are accessible, knowledgeable, reliable experts focused on their local customer's needs. And we offer customers innovative merchandising and technical support services.

Quick Facts:

Our facilities deliver carloads, truckloads, and unit quantities.

- Leading national wholesale distributor of building materials with 32 distribution facilities across the U.S.
- One-stop shopping: Sell a broad and deep line of building materials purchased from Boise Cascade Company's Wood Products business and other quality manufacturers
- Products offered include engineered wood products, oriented strand board, plywood, lumber, siding and other key building materials such as metal products, framing accessories, composite decking, roofing and insulation
- Vertical integration between Boise's manufacturing and distribution businesses ensures access to quality products
- Customers are retail lumber dealers, home improvement centers, and industrial accounts

Strategies:

- Deliver world-class, decentralized customer service
- Expand our distribution center network in the U.S.
- Add new products to serve customer needs
- Provide customers with innovative merchandising and technical services

Boise Cascade Pro-Install:

Boise Cascade's private brand, Boise Cascade Pro-Install, is a quality minded brand name specifically focusing on fasteners and concrete accessories for the building materials industry. Boise Cascade's intent is to provide the market with a competitive, high quality product that is recognizable, dependable and meets the needs for all users. Boise Cascade Pro-Install strives to furnish the lumber yard, one-step supply house and contractor with value-added products supporting their needs to get the job done right, the first time.



Boise Cascade

Reinforcing Bar 20 Foot ASTM A615

Certified Material Test Reports available on request

size	dia	length	grade	wt. pc.	pcs bundle	Boise #
#3	3/8"	20'	40/280	7.52	270	5910010
#3	3/8"	20'	60/420	7.52	270	5910310
#4	1/2"	20'	40/280	13.36	150,200	5910040
#4	1/2"	20'	60/420	13.36	150,200	5910340
#4	1/2"	20'	A706 G60	13.36	156	5910628
#5	5/8"	20'	40/280	20.86	96,100	5910070
#5	5/8"	20'	60/420	20.86	96,100	5910370
#6	3/4"	20'	60/420	30.04	72,132	5910400
#7	7/8"	20'	60/420	40.88	52	5910430
#8	1"	20'	60/420	53.40	40	5910460


Made in the USA



Long Length Reinforcing Bar ASTM A615

Certified Material Test Reports available on request

size	dia	length	grade	wt. ft.
#4	1/2"	30'	60/420	0.668
#5	5/8"	30'	60/420	1.043
#6	3/4"	30'	60/420	1.502
#7	7/8"	30'	60/420	2.044
#8	1"	30'	60/420	2.67
#4	1/2"	40'	60/420	0.668
#5	5/8"	40'	60/420	1.043
#6	3/4"	40'	60/420	1.502
#7	7/8"	40'	60/420	2.044
#8	1"	40'	60/420	2.67



A706 available on request



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011




Boise Cascade

Concrete Wire Mesh - Rolls ASTM A1064

Certified Material Test Reports available on request

spacing	gauge	new style desc	width	length	origin	Boise #
6x6	10	6x6-W1.4/W1.4	5'	150'	USA	5901035
6x6	10.5	6x6-W1.28/W1.28	5'	150'	import	5901058



Concrete Wire Mesh - Sheets ASTM A1064

Certified Material Test Reports available on request

spacing	gauge	new style desc	width	length	pc/unit	weight
6x6	10/10	6x6-W1.4/W1.4	8'	20'	100	33.6-lbs
6x6	6/6	6x6-D2.9/D2.9	8'	20'	50	67.2-lbs

available on direct shipments



Pencil Rod - Smooth ASTM A36

size	dia	length	grade	wt. ft.	Boise #
#2	1/4"	20'	1018	0.167	5914950

Made in the USA



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

Bundling Wire 9 ga - 100 LB Rolls (used as tie wire)

wt	gauge	rolls unit	Boise #
100-LBS	9	12	5914916



Tie Wire with square hole meets ASTM A853

size	gauge	pack	Boise #
3-1/2 LB	16	20	6800148



Loop Ties (Bar Ties)

size	gauge	size roll	pack	Boise #
6"	16	1M	4 roll/bag	6800014
6"	17	1M	4 roll/bag	5904108
6"	16	5M	1/bag	6800000
6"	17	5M	1/bag	5904293
8"	16	1M	4 roll/bag	5904218
8"	16	5M	1/bag	6800011



Anchor Bolts (Foundation Bolts) with nut & round washer

length	dia	type	pcs/box	Boise #
8"	1/2"	Brt	50	5902017
10"	1/2"	Brt	50	5902018
12"	1/2"	Brt	50	5902019
6"	1/2"	Galv	50	5902496
8"	1/2"	Galv	50	5902498
10"	1/2"	Galv	50	5902500
12"	1/2"	Galv	50	5902502



Anchor Bolts (Foundation Bolts) with nut & 3" x 3" x 1/4" slotted washer

length	dia	type	pcs/box	Boise #
8"	5/8"	Galv	25	5902542
10"	5/8"	Galv	25	5902545
12"	5/8"	Galv	25	5902548



Wedge Anchor

length	dia	type	pcs/box	Boise #
5-1/2"	1/2"	zinc	150	5825005



Boise Cascade *Pro-Install*[®]

Sales 1-800-241-9089


Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade


Foundation Strap (10 pcs-bundle)

USP #	ref #	width	height	Boise #
HPAHD22	HPAHD22	2-1/16"	24-3/4"	5655030



Mud Sill Anchors

Part #	ref #	length	mudsill size	Boise #
FA-14Z	MAB15Z	15"	2 x 4, 6	5682100
MASZ	MASZ		2 x 4, 6	TA5685110
MAS	MAS		2 x 4, 6	TA5685100




Nail Stakes with Holes (Round Forming Stakes) Nominal (18mm)

length	dia	pack	Boise #
18"	3/4"/18mm	10	5904228
24"	3/4"/18mm	10	5904234
36"	3/4"/18mm	10	5904236



Brick Ties (Wall Ties)

Tamlyn #	type	gauge	material	pack	Boise #
BT22ZZSP	ZIG ZAG	22	GALV	500	TA5681010
BT28ZZ5SP	ZIG ZAG	28	GALV	500	TA5681020



Rebar Pins (rebar cut to size)

size	pack size	Boise #
3/8" x 18"	40/pcs	5914310
1/2" x 18"	25/pcs	5914410
1/2" x 24"	25/pcs	5914415



Boise Cascade **Pro-Install**[®]

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade



Plastic Foundation Chairs

size	desc	box qty	Boise #
6" W 3" H	RC-6-2	100	5914935
12" W 3" H	RC-12-3	90	5914936



High Chair Individual with Plastic Dipped Leg

size	type	box qty	Boise #
2"	Individual	100	5905575




Foundation Chairs (Rod Chairs)

size	desc	Boise #
#2	2-6"x8"x3"	5905102
#3	3-5"x12"x3"	5905107



Slab Bolsters (SB) Plastic Dipped Legs

height	length	pcs/bdl	pcs/pallet	Boise #
1"	5'	20	3,000	5905205
1-1/2"	5'	20	2,000	5905210
2"	5'	20	2,000	5905215



SB-Slab Bolster
Available in heights of 3/4" to 3" in increments of 1/4" in 5 ft. lengths

Poly Film (Plastic Sheeting)

width	length	thickness	color	Boise #
10'	100'	4-mil	clear	7301018
12'	100'	4-mil	clear	7301019
20'	100'	4-mil	clear	7301022
16'	100'	6-mil	clear	7301037
20'	100'	6-mil	clear	7301038
20'	100'	10-mil	clear	7301052
9'	400'	.75-mil	clear	7301050
20'	100'	6-mil	black	7300032
12"	300'	6-mil	black	7300038



Boise Cascade *Pro-Install*[®]

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade




Metal Lath-Galv Sheets

weight	width	length	type	pcs unit	Boise #
2.5	27"	96"	dimpled/self furring	250	4113082



ICC ESR - 3497
ASTM C847

dimpled lath



Forming Ties for Alum Forms 7500-LB load rated

size	type	pcs bdl	bdl skid	Boise #
6"	full	100	50	5904550
8"	full	100	50	5904554
10"	full	100	50	5904557
12"	full	100	50	5904560
6"	nominal	100	50	5904565
8"	nominal	100	50	5904567
10"	nominal	100	50	5904569
12"	nominal	100	50	5904571



OSHA Rebar Caps (Safety Cap)

size	type	pack size	Boise #
#3-#8	plastic	25-pcs	5904101



Sales 1-800-241-9089


Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade


Plywood Clips

Tamlyn #	ref #	pack	size	Boise #
PCS716	PSCL7/16	250-pcs	7/16"	TA5685320
PCS1532	PSCL15/32	250-pcs	15/32"	TA5685300
PCS1932	PSCL19/32	250-pcs	19/32"	TA5685310
PCS2332	PSCL23/32	250-pcs	3/4"	TA5685330




Wind Brace (Wall Brace)

Part #	ref #	gauge	width	length	pack	Boise #
T-11	TWB12	22	2"	11'4"	20	5687025



Hurricane Ties

Tamlyn #	ref #	pack	Boise #
RT2A	H2.5A	100	TA5686100



Roofing Felt Paper

Boise #	desc	ASTM
5000003	15# (432sq ft)	4869
5000002	30# (432sq ft)	4869



Sub-Floor Adhesive (Contractor Grade)

Boise #	desc	pack
7104530	28 oz. tube	12 tubes



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

TITEBOND SUBFLOOR AND DECK ADHESIVE



Titebond Subfloor Adhesive is the ideal choice for subfloor installations. It is designed for particleboard, OSB, engineered lumber. It offers a strong initial tack, provides superior strength and remains permanently flexible. Titebond fills gaps and irregularities between materials and provides a more solid backup surface. It reduces the amount of nailing and helps eliminate squeaky floors.

ITEM #	PROD. CODE	DESCRIPTION	CASES ON PALLET	TUBES/CASE
7104530	7282	TITEBOND SUBFLOOR 28 OZ.	44	12

Titebond All Siding Sealant



Titebond® All Siding Sealant is a unique, premium grade elastomeric sealant formula that offers superior adhesion on all common construction materials. It is ideal for sealing doors, windows, soffits and awnings around vinyl, aluminum, stucco, wood, brick and glass. Titebond All Siding dries quickly & it can be painted and stained within 2-4 hours of application. It is also de-aired for a smooth, uniform bead & cleans up with water when wet.

ITEM #	PROD. CODE	DESCRIPTION	CASES ON PALLET	TUBES/CASE
7104520	3301	TITEBOND ASTM 920 WHITE 10.1 oz.	108	12

Titebond Painters Caulk



Titebond® Painter's Caulk is an economical, easy-to-use caulk that is formulated for interior and exterior pre-paint preparation. It offers good weather-resistance and provides a strong bond to most common building materials, including wood, metal, glass, masonry, aluminum and brick. It can be used for sealing joints, repairing cracks and back-filling gaps. Titebond Painter's is de-aired for a smooth, uniform bead that extrudes and tools easily. It is intended for interior use and can be painted with a water-based interior paint with one coat and will not bleed through the paint. Titebond Painters is a non-stringing formula that won't sag or drool and it has excellent bead cut-off. It also cleans up with soap and water when wet.

ITEM #	PROD. CODE	DESCRIPTION	CASES ON PALLET	TUBES/CASE
7104505	7301	TITEBOND PAINTERS WHITE 10.1 oz.	108	12

Titebond Painter's Plus Caulk



Titebond® Painter's Plus is a high-quality, versatile siliconized acrylic caulk that is designed for both interior and exterior applications. It offers an excellent flexible, air-tight, water-resistant seal and provides a strong bond to most common building materials, including wood, metal, glass, masonry, aluminum and brick. It is ideal for sealing joints, repairing cracks and back-filling gaps. Titebond Painter's Plus is de-aired for a smooth, uniform bead that extrudes and tools easily. It can be painted with a water-based interior paint with one coat and will not bleed through the paint. Titebond Painters Plus is a non-stringing formula that won't sag or drool and it has excellent bead cut-off. It also cleans up with water when wet.

ITEM #	PROD. CODE	DESCRIPTION	CASES ON PALLET	TUBES PER CASE
7104525	8301	TITEBOND PAINTERS PLUS WHITE 10.1 oz.	108	12

Titebond 100% Silicone Sealant



Titebond® 100% Silicone Sealant is a versatile 100% silicone formula that is ideal for both interior and exterior applications. It offers excellent adhesion to many common construction materials, including vinyl, aluminum, glass and painted surfaces. It also provides a strong, flexible seal that offers excellent water-resistance. When fully cured, Titebond 100% Silicone Sealant can withstand extreme temperature conditions. It will not crack or become brittle with age and resists fading or yellowing. It also extrudes easily in lower temperatures and dries quickly.


ITEM #	PROD. CODE	DESCRIPTION	CASES ON PALLET	TUBES/CASE
7104515	2611	TITEBOND 100% SILICONE CLEAR 10.1 oz.	108	12
7104510	2601	TITEBOND 100% SILICONE WHITE 10.1 oz.	108	12



Boise Cascade


Step Flashing - Alum

Boise #	desc	pack
6621515	2x3x7	100
6621024	3x4x7	100
6621560	4x4x7	100
6621520	5x5x7	100



Step Flashing - Galv

Boise #	desc	pack
6621055	4x4x7	100
6621525	4x4x8	100



Flashing Rolls - Galv

Boise #	desc	pack
TA6619255	10x50 Galv Falshing Roll	1
TA6619260	12x50 Galv Falshing Roll	1
TA6619265	14x50 Galv Falshing Roll	1
TA6619270	16x50 Galv Falshing Roll	1
TA6619275	20x50 Galv Falshing Roll	1



Flashing Rolls - Alum

Boise #	desc	pack
6621400	8x50 Alum Flashing Roll	1
6621410	10x50 Alum Flashing Roll	1
6621420	12x50 Alum Flashing Roll	1
6621430	14x50 Alum Flashing Roll	1
6621440	16x50 Alum Flashing Roll	1
6621450	20x50 Alum Flashing Roll	1
6606212	24x50 Alum Flashing Roll	1



Angle Flashing - Galv

Boise #	desc	pack	skid qty
TA6619210	4" x 4" x 10' w/1/2" hem	20/pcs	800/pcs



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade


Rain Diverter - Galv

Boise #	desc	pack
6621539	7-1/2" x 10'	10pcs




"Z" Flashing - Galv

Boise #	desc	pack
6621558	5/8" x 10'	50pcs
6621556	3/4" x 10'	50pcs



Eave Drip & Roof Edge



Boise #	desc	pack
6621300	4-1/2" 1-1/8" Face Alum White ED	50
6621305	4-1/2" 1-1/8" Face Alum Black ED	50
6621310	4-1/2" 1-1/8" Face Alum Brown ED	50
6621200	4-1/2" 1-1/8" Face Galv Mill ED	25
6621315	1-1/2" x 1-1/2" Galv Roof Edge	50



roof edge




eave drip ED



Starter Strip - Galv (for vinyl siding)

Boise #	desc	pack
6621510	3" x 10' Starter Strip Galv 2.5"	50



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade



Drywall Screws-Black Phos Coated, Phillips Drive, Sharp Point Coarse Thread for Gypsum to Wood Stud application

size	length	pcs/ctn	Boise #
#6	1-1/4"	8M	6201003
#6	1-1/4"	4M	

Job pack!

meets ASTM A 510 for carbon steel

meets ASTM C 1002 for attaching gypsum to wood studs



Drywall Screws-Black Phos Coated, Phillips Drive, Sharp Point Fine Thread for Gypsum to Lite Steel Stud application

size	length	pcs/ctn	Boise #
#6	1"	10M	
#6	1-1/4"	8M	
#6	1-1/4"	4M	
#6	1-5/8"	5M	

type "S" point

Job pack!

meets ASTM A 510 for carbon steel

meets ASTM C 1002 for attaching gypsum to steel studs



Pan Head Framing Screws For attaching 20ga Steel Track to 20ga Steel Studs

size	length	pcs/ctn	thread	point	coating	Boise #
#6	7/16"	10M	fine	sharp	phos	
#7	7/16"	10M	fine	self drill	zinc	
#6	7/16"	4M	fine	sharp	phos	
#7	7/16"	4M	fine	self drill	zinc	

meets F.I.P. 1000.7 for torsional strength & drill speed

meets ASTM A 510 for carbon steel



Drywall Screws-Zinc Self Drilling For attaching insulation, wood, gypsum to metal

size	length	pcs/ctn	thread	point	Boise #
#6	1-1/4"	8M	fine	self drill	
#6	1-5/8"	5M	fine	self drill	
#6	1-1/4"	4M	fine	self drill	

Job Pack!

meets ASTM A 510 for carbon steel

meets F.I.P. 1000.7 for torsional strength & drill speed

meets ASTM C 954 for attaching gypsum to steel studs



Boise Cascade *Pro-Install*[®]

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011




Boise Cascade

Paper Tape Fasteners for 30/34 degree Nailers (off set round head)

Fits: Paslode, Senco and many other paper tape 30-34 degree framing nailers

length	shank dia	type	ctn count	Boise #
2-3/8"	0.113	Brt Smooth	5000	6473375
2-3/8"	0.113	Brt Ring	5000	6473380
3"	0.120	Brt Smooth	2500	6473395
3"	0.131	Brt Smooth	2500	6473390
2-3/8"	0.113	HDG Ring	5000	6473385
3"	0.120	HDG Ring	2500	6473400




Siding Nails for 15 degree Coil Wire Nailers

length	shank dia	type	ctn count	ctn per pallet	Boise #
2-1/4"	0.092	EG Smooth	3.6M	60	6462300
2-1/4"	0.092	EG Smooth	9M	40	6462305
2-1/4"	0.092	EG Ring	9M	40	6462325



Finish Brads for 16ga Nailers 2.5M box 12 per case

length	gauge	type	box count	case qty	Boise #
1-1/2"	16	EG Smooth	2500	30,000	6475016
2"	16	EG Smooth	2500	30,000	6475022
2-1/2"	16	EG Smooth	2500	30,000	6475028



Angled Finish Nails 15ga DA Style Electro Galvanized 4 per case

length	gauge	type	box count	case qty	Boise #
2"	15	DA EG	4,000	16,000	6475106
2-1/2"	15	DA EG	4,000	16,000	6475112



Positive Placement (Joist Hanger) Fasteners Paper Tape

length	shank dia	type	ctn count	Boise #
1-1/2"	0.148	Brt Smooth	3000	6473100
1-1/2"	0.148	EG	3000	6473102
1-1/2"	0.148	HDG	3000	6473104



Boise Cascade Pro-Install®

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

Coil Roofing Nails

For use in most pneumatic coil roofing nailers.

Fits: Hitachi NV 45AB, Atro CN-134, Makita AN451, Bostitch N12-B, RN45, Porta Cable RN175, Fasco CN15W, Paslode PY-134, Senco SC-N200R and others.

size	gauge	head dia	count per carton	Boise #
1"	11	3/8"	7200	6483015
1-1/4"	11	3/8"	7200	6483020
1-1/2"	11	3/8"	7200	6483025
1-3/4"	11	3/8"	7200	6483030



A-11 3/8" Leg Staples (20 boxes per case)

size	length	qty box	qty case	Boise #
A-11	3/8"	5000	100,000	6486010



Plastic Strip 21 Degree Collated Nails

For use in most 20-22 degree plastic strip pneumatic nailers.

Fits: Hitachi, Paslode, Senco, Bostitch, Porta Cable and others.

length	shank dia	shank dia	count per carton	Boise #
2-3/8"	0.113	Brt Smooth	5000	6485040
2-3/8"	0.113	Brt Ring	5000	6485016
3"	0.120	Brt Smooth	4000	6485200
3"	0.131	Brt Smooth	4000	6485044
2-3/8"	0.113	HDG Ring	5000	6485006
3"	0.120	HDG Ring	4000	6485015



Coil Wire 15 Degree Collated Nails

For use in 15 degree coil wire pneumatic nailers.

Fits: Bostitch, Hitachi, Max, Magnum and others

length	shank dia	type shank	count per carton	Boise #
2-3/8"	0.113	Brt Smooth	4500	6462145
2-3/8"	0.113	Brt Ring	4500	6462180
3"	0.120	Brt Smooth	4500	6462167
2-3/8"	0.113	HDG Ring	3000	*6462239
3"	0.120	HDG Ring	2500	*6462244



*item number change



Boise Cascade Pro-Install®

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

Roofing Nails-EG

Large flat head with barbed shank and diamond point. Used to attach asphalt shingles, roof felt and insulation board to wood.

size	gauge	head dia	5-LB box	30-LB bucket	50-LB box
1"	11	7/16"	NA	NA	6074006
1-1/4"	11	7/16"	6114049	6020201	6074011
1-1/2"	11	7/16"	6114052	6020202	6074016
1-3/4"	11	7/16"	6114055	6020222	6074021
2"	11	7/16"	6114058	6020228	6074026
2-1/2"	11	7/16"	6114061	6020232	6074031
3"	11	7/16"	6114064	NA	NA



5-LB Box available

Plastic Cap Roofing Nails

Ring shank with round plastic cap used to attach felt paper, foam sheeting and housewrap to wood.

size	gauge	head dia	count per pound	box size	Boise #
1"	12	1"	250	2000-pcs	6118007
1-1/4"	12	1"	212	2000-pcs	6118008
1-1/2"	12	1"	185	2000-pcs	6118009
				bucket size	Boise #
1"	12	1"	250	3000-pcs	6118019
1-1/4"	12	1"	212	2500-pcs	6118017
1-1/2"	12	1"	185	2000-pcs	6118023
1-3/4"	12	1"	152	2000-pcs	6118027



Joist Hanger Nails EG & Hot Dip

Flat head with diamond point, used to attach truss plates, hangers and other hardware used in framing.

size	gauge	type	box size	Boise #
1-1/2"	9	EG	50-LB	6076021
1-1/2"	9	HDG	50-LB	6076038
1-1/2"	9	HDG	5-LB	6105070



5-LB Box available

PC Drywall

Cup head, diamond point with smooth shank and phosphate coated. Used for attaching drywall to wood.

size	gauge	head dia	box size	Boise #
1-3/8"	13	5/16"	50-LB	6073004
1-3/8"	13	5/16"	25-LB	6073003



Boise Cascade *Pro-Install*[®]

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

Vinyl Coated Sinkers

Flat counter sinking head with smooth shank and diamond point with vinyl coating to help lubricate while driving and provides better holding power.

size	length	gauge	head dia	box size	Boise #
8d	2-3/8"	11.5	17/64"	50-LB	6078008
12d	3-1/8"	10	5/16"	50-LB	6078012
16d	3-1/4"	9	11/32"	50-LB	6078016
8d	2-3/8"	11.5	17/64"	5-LB	6116028
16d	3-1/4"	9	11/32"	5-LB	6116036



5-LB Box available

Brt Common

Flat head with smooth shank and diamond point used for general construction.

size	length	gauge	head dia	count per pound	Boise #
8d	2-1/2"	10	9/32"	99	6079010
16d	3-1/2"	8	11/32"	63	6079022



Spikes

Flat head with diamond point, used for railroad ties, large timbers and log home construction.

size	type	dia	head	count per pound	Boise #
10"	Brt	3/8"	3/4"	3	6077305
10"	Galv	3/8"	3/4"	2	6077205



Cut Masonry

Used for attaching wood to new concrete and masonry.

size	length	type	box size	Boise #
8d	2-1/2"	Brt	50-LB	6011108
8d	2-1/2"	Galv	50-LB	6012095
8d	2-1/2"	Brt	5-LB	6124010
8d	2-1/2"	Galv	5-LB	6124108



5-LB Box available

Brt Duplex

Double head with smooth shank and diamond point, used for temporary structures. Drives to lower head to allow easy removal.

size	length	gauge	head dia	count per pound	Boise #
8d	2-5/8"	10.25	15/64"	88	6072010
16d	3-1/2"	8	9/32"	44	6072015



Fluted Masonry (Concrete)

Used for attaching wood to new concrete and masonry.

size	type	box size	Boise #	Boise #
1"	Brt	50-LB	6083002	6011108
1-1/2"	Brt	50-LB	6083012	6012095
2"	Brt	50-LB	6083018	6124010
2-1/2"	Brt	50-LB	6083023	6124108



Boise Cascade *Pro-Install*[®]

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

House Wrap

Boise #	desc	pack size
5315100	9' x 150'	60
5305150	2"x165' seam tape	72 rolls/case
Private Label	9' x 150'	call
Private Label	9' x 100'	call
Private Label	9' x 195'	call
Private Label	10' x 150'	call

ICC ESR-3292



Roofing Underlayment (Synthetic)

Boise #	desc	pack size
5008605	Tech Wrap-150 10 sq	56

ICC ESR-3293



Rhino Roof Underlayment

Boise #	desc	pack size
5008125	42" x 286' 10 sq	56



Titanium Roofing Underlayment

Boise #	desc	pack size
5008100	UDL-25 yr 10 sq	42
5008104	UDL-30 yr 10 sq	30



Ice Buster IB3 by MFM (Ice & Water)

Boise #	desc	pack size
5003775	36" x 67' 2 sq roll	30



Soffit Vent

Tamlyn #	size	color	pack	Boise #
CV416W24	4" x 16"	white	24	TA5681170
CV816W	8" x 16"	white	12	TA5681175
CUV8A50W	2" x 8'	white	50	TA5681150



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

Grace Ice & Water Shield

Boise #	desc	skid qty
5003002	36" x 75' 2.25 sq	35



Ice & Water Shield®
Self-Adhered Roofing Underlayment

Grace Tri-Flex UL

Boise #	desc	skid qty
5008025	48" x 250' 10 sq	25



Tri-Flex®
Synthetic Roofing Underlayment

Grace Vycor Plus Self Adhered Flashing

Boise #	desc	qty/ctn	qty/skid
5003121	4" x 75'	18 rolls	30/ctns
5003122	6" x 75'	12 rolls	30/ctns
5003124	9" x 75'	9 rolls	30/ctns
5003126	12" x 75'	6 rolls	30/ctns



VYCOR® PLUS
Self-Adhered Flashing



Window Tape-Flashing by MFM

size	desc	qty/ctn	Boise #
4" x 100'	PSX-20 MFM	9 rolls	5007295
6" x 100'	PSX-20 MFM	6 rolls	5007300
9" x 100'	PSX-20 MFM	4 rolls	5007303
12" x 100'	PSX-20 MFM	3 rolls	5007305



Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011



Boise Cascade

Tamlyn Xtreme Trim

Versatile Design Options . Aesthetically Pleasing . Sustainable . Durable

TAMLYN® **XtremeTrim**®
For Residential and Commercial Projects

- XtremeTrim®
- XtremeColor Flashing
- Ventilation
- Water Management

The New Hope Housing Perry Street Development by Val Götlich, FAIA
Photograph by Mark Heiser

Distributed by Boise Cascade, available for shipment to your store or the jobsite!

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011

REBAR CONVERSION CHART



Boise Cascade Pro-Install

ASTM Standard Reinforcing bars



www.bc.com

Bar Size	Nominal Bar Size	Weight Per Foot	Weight per Length				Pieces per Bundle
			20 ft.	30 ft.	40 ft.	60 ft.	20 ft. - 60 ft.
#3	3/8 in.	0.376 lb.	7.52 lb.	11.28 lb.	15.04 lb.	22.56 lb.	270
#4	1/2 in.	0.668 lb.	13.36 lb.	20.04 lb.	26.72 lb.	40.08 lb.	150/200
#5	5/8 in.	1.043 lb.	20.86 lb.	31.29 lb.	41.72 lb.	62.58 lb.	96/100
#6	3/4 in.	1.502 lb.	30.04 lb.	45.06 lb.	60.08 lb.	90.12 lb.	72/132
#7	7/8 in.	2.044 lb.	40.88 lb.	61.32 lb.	81.76 lb.	122.64 lb.	52/96
#8	1 in.	2.670 lb.	53.40 lb.	80.10 lb.	106.80 lb.	160.20 lb.	40/74
#9	1-1/8 in.	3.400 lb.	68.00 lb.	102.00 lb.	136.00 lb.	204.00 lb.	30
#10	1-1/4 in.	4.303 lb.	86.06 lb.	129.09 lb.	172.12 lb.	258.18 lb.	24
#11	1-3/8 in.	5.313 lb.	106.26 lb.	159.39 lb.	212.52 lb.	318.78 lb.	19
#14	1-3/4 in.	7.650 lb.	153.00 lb.	229.50 lb.	306.00 lb.	459.00 lb.	18
#18	2-1/4 in.	13.600 lb.	272.00 lb.	408.00 lb.	544.00 lb.	816.00 lb.	10

CONCRETE ACCESSORIES ON SITE READY TO SHIP

Tie Wire, Bar Ties, Nail Stakes, Poly, Duplex Nails, Common Nails, 100 lb Coils

Anchor Bolts, Rod Chairs, Metal & Plastic Chairs, Slab Boslers

PLYWOOD CHEAT SHEET

4X8	MULTIPLY PER THOUSAND PRICE TIMES SQUARE FOOTAGE FACTOR	0.032
4X9	MULTIPLY PER THOUSAND PRICE TIMES SQUARE FOOTAGE FACTOR	0.036
4X10	MULTIPLY PER THOUSAND PRICE TIMES SQUARE FOOTAGE FACTOR	0.040

LUMBER CHEAT SHEET

	8	10	12	14	16	18	20	22	24	26	28	30	32
2x4	5.3333	6.6667	8.0000	9.3333	10.6667	12.0000	13.3333	14.6667	16.0000	17.3333	18.6667	20.0000	21.3333
2x6	8.0000	10.0000	12.0000	14.0000	16.0000	18.0000	20.0000	22.0000	24.0000	26.0000	28.0000	30.0000	32.0000
2x8	10.6667	13.3333	16.0000	18.6667	21.3333	24.0000	26.6667	29.3333	32.0000	34.6667	37.3333	40.0000	42.6667
2x10	13.3333	16.6667	20.0000	23.3333	26.6667	30.0000	33.3333	36.6667	40.0000	43.3333	46.6667	50.0000	53.3333
2x12	16.0000	20.0000	24.0000	28.0000	32.0000	36.0000	40.0000	44.0000	48.0000	52.0000	56.0000	60.0000	64.0000
1x4	2.6667	3.3333	4.0000	4.6667	5.3333	6.0000	6.6667	7.3333	8.0000	8.6667	9.3333	10.0000	10.6667
1x6	4.0000	5.0000	6.0000	7.0000	8.0000	9.0000	10.0000	11.0000	12.0000	13.0000	14.0000	15.0000	16.0000
1x8	5.3333	6.6667	8.0000	9.3333	10.6667	12.0000	13.3333	14.6667	16.0000	17.3333	18.6667	20.0000	21.3333
1x10	6.6667	8.3333	10.0000	11.6667	13.3333	15.0000	16.6667	18.3333	20.0000	21.6667	23.3333	25.0000	26.6667
1x12	8.0000	10.0000	12.0000	14.0000	16.0000	18.0000	20.0000	22.0000	24.0000	26.0000	28.0000	30.0000	32.0000
5/4x6	5.0000	6.2500	7.5000	8.7500	10.0000	11.2500	12.5000	13.7500	15.0000	16.2500	17.5000	18.7500	20.0000

DIVIDE PRICE PER THOUSAND BY 1000 (move the decimal left 3 spaces), MULTIPLY BY FACTOR

EXAMPLE: 2"X4"X8' SYP @ \$464/m, .464 X 5.3333 = \$2.474 PER BOARD

Sales 1-800-241-9089

Boise Cascade Building Materials Distribution
8 Mount Moriah Rd., Auburn, GA 30011

Values & Principles



Employees from throughout Boise Cascade participated in discussions about what our company's Values and Principles should be. From these discussions a final set of Values and Principles were created to guide our daily decisions. Our Values and Principles reflect what we stand for – and what the company stands for as an organization.

Boise Cascade's Values and Principles

We are proud, persistent, passionate, participative people.

As we focus on delivering the best return for our investors, we can be trusted to do what we say and take responsibility for our actions, which we base on the following Values and Principles:

Integrity

We are our word. That is the foundation of all our relationships.

Safety

It is our way of life.

Communication

We talk straight, really listen, and share our knowledge across the company.

Quality

We meet or exceed the expectations of our customers and are committed to helping them enhance their businesses.

Stewardship

We manage our businesses to sustain environmental resources for future generations.

Innovation

We are creative and nimble and look worldwide for better ways to do things.

Recognition

We value one another. We recognize one another's responsibility to participate actively, and we respect one another for our ideas and contributions.

Growth

We support an environment of continuous learning where our people can take on new challenges and build successful careers.

Boise Cascade Distribution


Conveniently located in metro Atlanta



Boise Cascade

800-241-9089

Boise Cascade Distribution Locations



Boise Cascade's 30 acre Distribution Center is located in Auburn, Georgia

Customers are encouraged to utilize our extensive inventories of:

- Rebar
- Fasteners
- Flashings
- House Wraps
- Concrete Accessories
- Boise Cascade Engineered Wood Products
- James Hardie Siding
- Trex Decking & Railing
- ThermaTru Doors

Boise Cascade is also one of the nation's largest suppliers of structural panels, OSB, plywood and lumber.

Our customers come first. We promise quick deliveries and to load our customer's pick up orders promptly and safely.

We are an American Owned Company with a long history of superior service and commitment to the industry.

Let us show you how we can earn your business!