

Sales 800-210-6049 Greensboro, NC



The Boise Cascade

Boise Cascade

Steel Guide

Rebar, Concrete Mesh, Concrete Accessories, Poly Film, Hand Drive Nails, Collated Fasteners, Galvanized Hex, Timber and Carriage Bolts, Threaded Rod, House Wrap, Metal Lath, Fire Treated Lumber, SYP Lumber, Roofing Felt and much, much more!



Steel Guide

Contents

Page 2	Contents
Page 3	Boise Cascade Building Materials Distribution
Page 4	Reinforcing Bar
Page 5	Concrete Reinforcing Wire Rolls & Sheets, Pencil Rod
Page 6	Bundling & Tie Wire, Loop (Bar) Ties, Anchor Bolts
Page 7	Nail Stakes, Brick Ties, Metal Lath - Galv Sheets, OSHA Rebar Caps
Page 8	Foundation Chairs, Poly Film
Page 9	Thread Rod, Tie Rod, Dock Washer & Coupling, OG Washer, Strap, Bent Threaded Rod
Page 10	Timber Bolt, Hex Head Bolt, Carriage Bolt, Washers & Nuts,
Page 11	Paper Tape Fasteners, Finish Brads, Positive Placement Fasteners, Finish Nails
Page 12	Coil Roofing Nails, Plastic Strip Collated Nails, SS Plastic Strip
Page 13	Roofing Nails, Plastic Cap Roofing Nails, Joist Hanger Nails
Page 14	Vinyl Coated Sinkers, Brt Common Nails, Cut Masonry, Brt Duplex
Page 15	House Wrap, Roofing Felt Paper, Sub-Floor Adhesive
Page 16	SYP Lumber, Fire Treated Lumber & Plywood, Sub-Floor Adhesive
Page 17	Tamlyn Xtreme Trim
Page 18	Rebar, Plywood & Lumber Conversion Charts
Page 19	Boise Cascade Company Values & Principles



Boise Cascade Building Materials Distribution

Boise Cascade Building Materials Distribution provides retail lumber dealers, home improvement centers, and industrial customers the products and services they need. We combine the leverage of a national distributor with the autonomy of a local operator.

Our inventories are broad and deep – offering everything from nails to sophisticated engineered wood products. Our people are accessible, knowledgeable, reliable experts focused on their local customer's needs. And we offer customers innovative merchandising and technical support services.

Quick Facts:

Our facilities deliver carloads, truckloads, and unit quantities.

- Leading national wholesale distributor of building materials with 32 distribution facilities across the U.S.
- One-stop shopping: Sell a broad and deep line of building materials purchased from Boise Cascade Company's Wood Products business and other quality manufacturers
- Products offered include engineered wood products, oriented strand board, plywood, lumber, siding and other key building materials such as metal products, framing accessories, composite decking, roofing and insulation
- Vertical integration between Boise's manufacturing and distribution businesses ensures access to quality products
- Customers are retail lumber dealers, home improvement centers, and industrial accounts

Strategies:

- Deliver world-class, decentralized customer service
- Expand our distribution center network in the U.S.
- Add new products to serve customer needs
- Provide customers with innovative merchandising and technical services

Boise Cascade Pro-Install Brand:

Boise Cascade's private brand, Boise Cascade Pro-Install, is a quality minded brand name specifically focusing on fasteners and concrete accessories for the building materials industry. Boise Cascade's intent is to provide the market with a competitive, high quality product that is recognizable, dependable and meets the needs for all users. Boise Cascade Pro-Install strives to furnish the lumber yard, one-step supply house and contractor with value-added products supporting their needs to get the job done right, the first time.



Boise Cascade

Reinforcing Bar 20 Foot ASTM A615

Certified Material Test Reports available on request

size	dia	length	grade	wt. pc.	pcs bundle	Boise #
#3	3/8"	20'	40/280	7.52	270	5910010
#3	3/8"	20'	60/420	7.52	270	5910310
#4	1/2"	20'	40/280	13.36	150,200	5910040
#4	1/2"	20'	60/420	13.36	150,200	5910340
#5	5/8"	20'	60/420	20.86	96,100	5910370
#6	3/4"	20'	60/420	30.04	72,132	5910400
#7	7/8"	20'	60/420	40.88	52	5910430
#8	1"	20'	60/420	53.40	40	5910460

Made in the USA



Long Length Reinforcing Bar ASTM A615

Certified Material Test Reports available on request

size	dia	length	grade	wt. ft.
#4	1/2"	30'	60/420	0.668
#5	5/8"	30'	60/420	1.043
#6	3/4"	30'	60/420	1.502
#7	7/8"	30'	60/420	2.044
#8	1"	30'	60/420	2.67
#4	1/2"	40'	60/420	0.668
#5	5/8"	40'	60/420	1.043
#6	3/4"	40'	60/420	1.502
#7	7/8"	40'	60/420	2.044
#8	1"	40'	60/420	2.67



A706 available on request

long rebar available direct from mill



Sales 800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409




Boise Cascade

Concrete Wire Mesh- Rolls ASTM A1064

Certified Material Test Reports available on request


spacing	gauge	new style desc	width	length	origin	Boise #
6x6	10	6x6-W1.4/W1.4	5'	150'	USA	5901035
6x6	10.5	6x6-W1.28/W1.28	5'	150'	import	5901058



Concrete Wire Mesh - Sheets ASTM A1064

Certified Material Test Reports available on request

spacing	gauge	new style desc	width	length	pc/unit	weight	Boise #
6x6	10/10	6x6-W1.4/W1.4	5'	10'	100	10.5	5901030
6x6	10/10	6x6-W1.4/W1.4	8'	20'	100	33.6-lbs	mill direct
6x6	6/6	6x6-D2.9/D2.9	8'	20'	50	67.2-lbs	mill direct



Pencil Rod-smooth ASTM A36

size	dia	length	grade	wt. ft.	Boise #
#2	1/4"	20'	1018	0.167	5914950



Made in the USA



Sales 1-800-210-6049


Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

Bundling Wire 9 ga - 100 LB Rolls (used as tie wire)

wt	gauge	rolls unit	Boise #
100-LBS	9	12	5914916



Tie Wire with square hole meets ASTM A853

size	gauge	pack	Boise #
3-1/2 LB	16	20	6800148



Loop Ties (Bar Ties)

size	gauge	size roll	pack	Boise #
6"	16	1M	4 roll/bag	6800014
6"	16	5M	1/bag	6800000
8"	16	1M	4 roll/bag	5904218
8"	16	5M	1/bag	6800011



Anchor Bolts (Foundation Bolts) with nut & round washer

length	dia	type	pcs/box	Boise #
8"	1/2"	Brt	50	5902017
10"	1/2"	Brt	50	5902018
12"	1/2"	Brt	50	5902019
6"	1/2"	Galv	50	5902496
8"	1/2"	Galv	50	5902498
10"	1/2"	Galv	50	5902500
12"	1/2"	Galv	50	5902502
18"	1/2"	Galv	50	5902508



Anchor Bolts (Foundation Bolts) with nut & 3" x 3" x 1/4" slotted washer

length	dia	type	pcs/box	Boise #
8"	5/8"	Galv	25	5902542
10"	5/8"	Galv	25	5902545
12"	5/8"	Galv	25	5902548
18"	5/8"	Galv	25	5902519



Boise Cascade *Pro-Install*

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade




Nail Stakes with Holes (Round Forming Stakes) Nominal (18mm)

length	dia	pack	Boise #
18"	3/4"/18mm	10	5904228
24"	3/4"/18mm	10	5904234
36"	3/4"/18mm	10	5904236



Brick Ties (Wall Ties)

Tamlyn #	type	gauge	material	pack	Boise #
BT22ZZSP	ZIG ZAG	22	GALV	500	TA5681010
BT28ZZ5SP	ZIG ZAG	28	GALV	500	TA5681020




Metal Lath-Galv Sheets

weight	width	length	type	pcs unit	Boise #
2.5	27"	96"	dimpled/self furring	250	4113082

ICC ESR - 3497
ASTM C847



dimpled lath



OSHA Rebar Caps (Safety Cap)

size	type	pack size	Boise #
#3-#8	plastic	25-pcs	5904101



Boise Cascade *Pro-Install*[®]





Boise Cascade

Plastic Foundation Chairs

size	desc	box qty	Boise #
6" W 3" H	RC-6-2	100	5914935
12" W 3" H	RC-12-3	90	5914936

Coming soon!



Foundation Chairs (Rod Chairs)

size	desc	Boise #
#2	2-6"x8"x3"	5905102
#3	3-5"x12"x3"	5905107



Poly Film (Plastic Sheeting)

width	length	thickness	color	Boise #
20'	100'	4-mil	clear	7301022
20'	100'	6-mil	clear	7301038
20'	100'	10-mil	clear	7301052
9'	400'	.75-mil	clear	7301050
12"	300'	6-mil	black	7300038

Coming



Boise Cascade *Pro-Install*[®]

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

ALL Thread Rod - Coarse ASTM A307 Grade A

Zinc plating ASTM F1941, HDG plating ASTM A153

dia	length	type	pcs tube	wt tube	Boise #
1/2"	6'	ZINC	12	39	5907410
1/2"	10'	ZINC	12	65	5907416
5/8"	6'	ZINC	8	41	5907422
5/8"	10'	ZINC	8	68	5907428
5/8"	10'	HDG	8	68	5907434



Tie Rod ASTM A36 Galvanized with Nut (smooth rod threaded 12"- 14" on each end)

dia	length	type	pcs bundle	wt bdl	Boise #
5/8"	10'	HDG	8	67.4	5907450
5/8"	12'	HDG	8	81	5907456
5/8"	15'	HDG	5	63.25	5907462



Dock Washer and Coupling - Galvanized


dia	size	pcs / ctn	wt ctn	Boise #
5/8"	3" Rd 11/16" hole	100	49	5907526
			wt ctn	Boise #
5/8"	2-1/8" coupling	250	50	5907528



thickness 1/4"



width 13/16"




OG Washer - Galvanized

dia	size	pcs / ctn	wt ctn	Boise #
5/8"	2-3/4"	90	51	5907530




3/4" hole dia
5/8" thickness



Strap - Galvanized

size	desc	pcs / ctn	wt ctn	Boise #
4"x15"	4 holes			TBD
4"x18"	4 holes			TBD
4"x20"	4 holes			TBD



Bent Threaded Rod - Galvanized & Zinc

dia	size / type	pcs / bdl	wt bdl	Boise #
5/8"	52" x 8" ZINC	8	34.2	5907506
5/8"	52" x 8" HDG	8	34.2	5907512
1/2"	52" x 8" ZINC	12	32.5	5907484
1/2"	52" x 8" HDG	12	32.5	5907500



(all weights on above items are approx)



Boise Cascade *Pro-Install*

Sales 1-800-210-6049


Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

Timber Bolt - Galvanized ASTM A307

dia	length	thread	pcs ctn	wt ctn	Boise #
5/8"	8"	4"	35	29	6806008
5/8"	10"	4"	25	24	6806010
5/8"	12"	6"	23	26	6806012
5/8"	14"	6"	23	29	6806014
5/8"	16"	6"	20	27	6806016
5/8"	18"	8"	20	31	6806018
5/8"	20"	8"	19	32	6806020
5/8"	24"	8"	15	30	6806624



Hex Head Bolt - Galvanized

dia	length	thread	pcs ctn	wt ctn	Boise #
5/8"	8"	6"	60	41	6806678
5/8"	10"	6"	50	42	6806680
5/8"	12"	6"	40	39	6806682
5/8"	14"	6"	40	45	6806684
5/8"	16"	6"	35	45	6806686
5/8"	18"	6"	30	43	6806688
5/8"	20"	6"	25	39	6806690




Carriage Bolt - Galvanized

dia	length	thread	pcs ctn	wt ctn	Boise #
5/8"	8"	6"	60	39	6806748
5/8"	10"	6"	50	40	6806750
5/8"	12"	6"	40	38	6806752
5/8"	14"	6"	40	51	6806754
5/8"	16"	6"	35	50	6806756
5/8"	18"	6"	30	49	6806758
5/8"	20"	6"	25	44	6806760



Washers & Nut - Galvanized

dia	size	pcs / ctn	wt ctn	Boise #
1/2"	nut	1200	46	6806790
5/8"	nut	Carriage	45	6806792
washers				
1/2"	round USS flat	1300	51	6806800
5/8"	3" sq x 1/4"	90	53	6806810
5/8"	2"sq x .187	250	52	6806806
5/8"	round USS flat	650	51	6806815



(all weights on above items are approx)



Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade




Paper Tape Fasteners for 30/34 degree Nailers (off set round head)

Fits: Paslode, Senco and many other paper tape 30-34 degree framing nailers


meets ASTM F1667

length	shank dia	type	ctn count	Boise #
2-3/8"	0.113	Brt Smooth	3000	6473375
2-3/8"	0.113	Brt Ring	3000	6473380
3"	0.120	Brt Smooth	2500	6473395
3"	0.131	Brt Smooth	2500	6473390
2-3/8"	0.113	HDG Ring	3000	6473385
3"	0.120	HDG Ring	2500	6473400



Finish Brads for 16ga Straight tools 2.5M box 12 per case

length	gauge	type	box count	case qty	Boise #
1-1/2"	16	EG Smooth	2500	30,000	6475016
2"	16	EG Smooth	2500	30,000	6475022
2-1/2"	16	EG Smooth	2500	30,000	6475028




Positive Placement (Joist Hanger) Fasteners Paper Tape meets ASTM F1667

length	shank dia	type	ctn count	Boise #
1-1/2"	0.148	Brt Smooth	3000	6473100
1-1/2"	0.148	EG	3000	6473102
1-1/2"	0.148	HDG	3000	6473104



Angled Finish Nails 15ga DA Style Electro Galvanized 4 per case

length	gauge	type	box count	case qty	Boise #
2"	15	DA EG	4,000	16,000	6475106
2-1/2"	15	DA EG	4,000	16,000	6475112



Boise Cascade Pro-Install®

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

Coil Roofing Nails meets ASTM F1667

For use in most pneumatic coil roofing nailers.

Fits: Hitachi NV 45AB, Atro CN-134, Makita AN451, Bostitch N12-B, RN45, Porta Cable RN175, Fasco CN15W, Paslode PY-134, Senco SC-N200R and others.



size	gauge	head dia	count per carton	Boise #
1"	11	3/8"	7200	6483015
1-1/4"	11	3/8"	7200	6483020
1-1/2"	11	3/8"	7200	6483025
1-3/4"	11	3/8"	7200	6483030



Plastic Strip 21 Degree Collated Nails meets ASTM F1667

For use in most 20-22 degree plastic strip pneumatic nailers.

Fits: Hitachi, Paslode, Senco, Bostitch, Porta Cable and others.



length	shank dia	shank dia	count per carton	Boise #
2-3/8"	0.113	Brt Smooth	5000	6485040
2-3/8"	0.113	Brt Ring	5000	6485016
2-1/2"	0.131	Brt Smooth	5000	6485047
3"	0.120	Brt Smooth	4000	6485200
3"	0.131	Brt Smooth	4000	6485044
2-3/8"	0.113	HDG Ring	5000	6485006
3"	0.120	HDG Ring	4000	6485015
3"	0.120	HDG Screw	4000	6485135
3-1/4"	0.120	HDG Screw	4000	6485125



Stainless Steel Grade 316 - Plastic Strip 21 degree w/checkered head meets ASTM F1667

For use in most 20-22 degree plastic strip pneumatic nailers.

Fits: Hitachi, Paslode, Senco, Bostitch, Porta Cable and others.

length	shank dia	type shank	count per carton	Boise #
2-3/8"	0.113	Ring	1000	6485360
3"	0.120	Ring	1000	6485365
3-1/4"	0.120	Ring	1000	6485372



Boise Cascade Pro-Install®

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

Roofing Nails-EG 50-LB box meets ASTM F1667

Large flat head with barbed shank and diamond point. Used to attach asphalt shingles, roof felt and insulation board to wood.

size	gauge	head dia	Boise #
1"	11	7/16"	6074006
1-1/4"	11	7/16"	6074011
1-1/2"	11	7/16"	6074016
1-3/4"	11	7/16"	6074021
2"	11	7/16"	6074026



Plastic Cap Roofing Nails

Ring shank with round plastic cap used to attach felt paper, foam sheeting and housewrap to wood.

size	gauge	head dia	count per pound	bucket size	Boise #
1"	12	1"	250	3000-pcs	6118019
1-1/4"	12	1"	212	2500-pcs	6118017



Joist Hanger Nails Galvanized meets ASTM F1667

Flat head with diamond point, used to attach truss plates, hangers and other hardware used in framing.

size	gauge	type	box size	Boise #
1-1/2"	9	Galv	50-LB	6076038
1-1/2"	9	Galv	5-LB	6105070



Boise Cascade Pro-Install®

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

Vinyl Coated Sinkers meets ASTM F1667

Flat counter sinking head with smooth shank and diamond point with vinyl coating to help lubricate while driving and provides better holding power.

size	length	gauge	head dia	box size	Boise #
8d	2-3/8"	11.5	17/64"	50-LB	6078008
16d	3-1/4"	9	11/32"	50-LB	6078016



Brt Common meets ASTM F1667

Flat head with smooth shank and diamond point used for general construction.

size	length	gauge	head dia	count per pound	Boise #
8d	2-1/2"	10	9/32"	99	6079010
16d	3-1/2"	8	11/32"	63	6079022



Cut Masonry meets ASTM F1667

Used for attaching wood to new concrete and masonry.

size	length	type	box size	Boise #
8d	2-1/2"	Brt	50-LB	6011108
8d	2-1/2"	Galv	50-LB	6012095
8d	2-1/2"	Brt	5-LB	6124010
8d	2-1/2"	Galv	5-LB	6124108



Brt Duplex meets ASTM F1667

Double head with smooth shank and diamond point, used for temporary structures. Drives to lower head to allow easy removal.

size	length	gauge	head dia	count per pound	Boise #
8d	2-5/8"	10.25	15/64"	88	6072010
16d	3-1/2"	8	9/32"	44	6072015



Boise Cascade *Pro-Install*[®]

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

House Wrap

Boise #	desc	pack size
5315100	9' x 150'	60
5305150	2"x165' seam tape	72 rolls/case
Private Label	9' x 150'	call
Private Label	9' x 100'	call
Private Label	9' x 195'	call
Private Label	10' x 150'	call

ICC ESR-3292

Private Label
Available !

Roofing Felt Paper

Boise #	desc	ASTM
5001016	15# (432sq ft)	4869
5001018	30# (432sq ft)	4869



Sub-Floor Adhesive (Contractor Grade)

Boise #	desc	pack
7104530	28 oz. tube	12 tubes



Coming Soon!

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

SYP Lumber

size	grade	bdl size	size	grade	bdl size	size	grade	bdl size
2x4x8	#2		2x8x8	#2		2x12x8	#2	
2x4x10	#2		2x8x10	#2		2x12x10	#2	
2x4x12	#2		2x8x12	#2		2x12x12	#2	
2x4x14	#2		2x8x14	#2		2x12x14	#2	
2x4x16	#2		2x8x16	#2		2x12x16	#2	
2x6x8	#2		2x10x8	#2				
2x6x10	#2		2x10x10	#2				
2x6x12	#2		2x10x12	#2				
2x6x14	#2		2x10x14	#2				
2x6x16	#2		2x10x16	#2				



Fire Treated Lumber & Plywood by Hoover

size	grade	size	grade
2x4x8	#2	2x8x10	#2
2x4x10	#2	2x8x12	#2
2x4x12	#2	2x8x16	#2
2x4x16	#2	2x10x10	#2
2x6x8	#2	2x10x12	#2
2x6x10	#2	2x10x16	#2
2x6x12	#2	2x12x10	#2
2x6x16	#2	2x12x12	#2
1x4x16	#2	2x12x16	#2
15/32"	4-Ply Rated Sheathing		
19/32"	Rated Sheathing		
23/32"	Rated Sheathing		
23/32"	Underlayment T&G		



Sub-Floor Adhesive (Contractor Grade)

Boise #	desc	pack
7104530	28 oz. tube	12 tubes



Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409



Boise Cascade

Tamlyn Xtreme Trim



Distributed by Boise Cascade, available for shipment to your store or the jobsite!

Sales 1-800-210-6049

**Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409**

REBAR CONVERSION CHART



Boise Cascade Pro-Install

ASTM Standard Reinforcing bars



www.bc.com

Bar Size	Nominal Bar Size	Weight Per Foot	Weight per Length				Pieces per Bundle
			20 ft.	30 ft.	40 ft.	60 ft.	20 ft. - 60 ft.
#3	3/8 in.	0.376 lb.	7.52 lb.	11.28 lb.	15.04 lb.	22.56 lb.	270
#4	1/2 in.	0.668 lb.	13.36 lb.	20.04 lb.	26.72 lb.	40.08 lb.	150/200
#5	5/8 in.	1.043 lb.	20.86 lb.	31.29 lb.	41.72 lb.	62.58 lb.	96/100
#6	3/4 in.	1.502 lb.	30.04 lb.	45.06 lb.	60.08 lb.	90.12 lb.	72/132
#7	7/8 in.	2.044 lb.	40.88 lb.	61.32 lb.	81.76 lb.	122.64 lb.	52/96
#8	1 in.	2.670 lb.	53.40 lb.	80.10 lb.	106.80 lb.	160.20 lb.	40/74
#9	1-1/8 in.	3.400 lb.	68.00 lb.	102.00 lb.	136.00 lb.	204.00 lb.	30
#10	1-1/4 in.	4.303 lb.	86.06 lb.	129.09 lb.	172.12 lb.	258.18 lb.	24
#11	1-3/8 in.	5.313 lb.	106.26 lb.	159.39 lb.	212.52 lb.	318.78 lb.	19
#14	1-3/4 in.	7.650 lb.	153.00 lb.	229.50 lb.	306.00 lb.	459.00 lb.	18
#18	2-1/4 in.	13.600 lb.	272.00 lb.	408.00 lb.	544.00 lb.	816.00 lb.	10

CONCRETE ACCESSORIES ON SITE READY TO SHIP

Tie Wire, Bar Ties, Nail Stakes, Poly, Duplex Nails, Common Nails, 100 lb Coils

Anchor Bolts, Rod Chairs, Metal & Plastic Chairs, Slab Boslers

PLYWOOD CHEAT SHEET

4X8	MULTIPLY PER THOUSAND PRICE TIMES SQUARE FOOTAGE FACTOR	0.032
4X9	MULTIPLY PER THOUSAND PRICE TIMES SQUARE FOOTAGE FACTOR	0.036
4X10	MULTIPLY PER THOUSAND PRICE TIMES SQUARE FOOTAGE FACTOR	0.040

LUMBER CHEAT SHEET

	8	10	12	14	16	18	20	22	24	26	28	30	32
2x4	5.3333	6.6667	8.0000	9.3333	10.6667	12.0000	13.3333	14.6667	16.0000	17.3333	18.6667	20.0000	21.3333
2x6	8.0000	10.0000	12.0000	14.0000	16.0000	18.0000	20.0000	22.0000	24.0000	26.0000	28.0000	30.0000	32.0000
2x8	10.6667	13.3333	16.0000	18.6667	21.3333	24.0000	26.6667	29.3333	32.0000	34.6667	37.3333	40.0000	42.6667
2x10	13.3333	16.6667	20.0000	23.3333	26.6667	30.0000	33.3333	36.6667	40.0000	43.3333	46.6667	50.0000	53.3333
2x12	16.0000	20.0000	24.0000	28.0000	32.0000	36.0000	40.0000	44.0000	48.0000	52.0000	56.0000	60.0000	64.0000
1x4	2.6667	3.3333	4.0000	4.6667	5.3333	6.0000	6.6667	7.3333	8.0000	8.6667	9.3333	10.0000	10.6667
1x6	4.0000	5.0000	6.0000	7.0000	8.0000	9.0000	10.0000	11.0000	12.0000	13.0000	14.0000	15.0000	16.0000
1x8	5.3333	6.6667	8.0000	9.3333	10.6667	12.0000	13.3333	14.6667	16.0000	17.3333	18.6667	20.0000	21.3333
1x10	6.6667	8.3333	10.0000	11.6667	13.3333	15.0000	16.6667	18.3333	20.0000	21.6667	23.3333	25.0000	26.6667
1x12	8.0000	10.0000	12.0000	14.0000	16.0000	18.0000	20.0000	22.0000	24.0000	26.0000	28.0000	30.0000	32.0000
5/4x6	5.0000	6.2500	7.5000	8.7500	10.0000	11.2500	12.5000	13.7500	15.0000	16.2500	17.5000	18.7500	20.0000

DIVIDE PRICE PER THOUSAND BOARD BY 1000 (move the decimal left 3 spaces), MULTIPLY BY FACTOR

EXAMPLE: 2"X4"X8' SYP @ \$464/m, .464 X 5.3333 = \$2.474 PER BOARD

Sales 1-800-210-6049

Boise Cascade Building Materials Distribution
8301 Capital Drive, Greensboro, NC 27409

Values & Principles



Employees from throughout Boise Cascade participated in discussions about what our company's Values and Principles should be. From these discussions a final set of Values and Principles were created to guide our daily decisions. Our Values and Principles reflect what we stand for – and what the company stands for as an organization.

Boise Cascade's Values and Principles

We are proud, persistent, passionate, participative people.

As we focus on delivering the best return for our investors, we can be trusted to do what we say and take responsibility for our actions, which we base on the following Values and Principles:

Integrity

We are our word. That is the foundation of all our relationships.

Safety

It is our way of life.

Communication

We talk straight, really listen, and share our knowledge across the company.

Quality

We meet or exceed the expectations of our customers and are committed to helping them enhance their businesses.

Stewardship

We manage our businesses to sustain environmental resources for future generations.

Innovation

We are creative and nimble and look worldwide for better ways to do things.

Recognition

We value one another. We recognize one another's responsibility to participate actively, and we respect one another for our ideas and contributions.

Growth

We support an environment of continuous learning where our people can take on new challenges and build successful careers.


Boise Cascade Distribution

Conveniently located in Greenboro, NC



Boise Cascade
800-210-6049

Boise Cascade Distribution Locations



Boise Cascade's 27 acre Distribution Center is located in Greensboro, North Carolina

Customers are encouraged to utilize our extensive inventories of:

- Rebar
- Fasteners
- Galvanized Bolts
- House Wrap
- Concrete Accessories
- Boise Cascade Engineered Wood Products
- James Hardie Siding
- Trex Decking & Railing
- Klear PVC Trim

Boise Cascade is also one of the nation's largest suppliers of structural panels, OSB, plywood and lumber.

Our customers come first. We promise quick deliveries and to load our customer's pick up orders promptly and safely.

We are an American Owned Company with a long history of superior service and commitment to the industry.

Let us show you how we can earn your business!