



**Boise Cascade**

# Specialty Products Catalog

*Decking • Porch Flooring • Railing • Lighting • Siding • and more*



**Boise Cascade Building Materials Distribution**  
Lakeville, MN 1-800-281-5503  
[www.bc.com/bmd](http://www.bc.com/bmd)

<b>PRODUCTS</b>	<b>PAGE</b>
<b>Trex Products</b>	
Transcend Decking	2
Enhance Decking	3
Transcend Porch Flooring	3
Select Decking	4
Fasteners	5
Deck Lighting	5
Transcend Rail	6
Reveal Rail	7
Select Rail	8
ADA Compliant Handrail	8
RainEscape Deck Drainage System	9
Elevations Steel Deck Framing	9
<b>Kleer Trim</b>	10
<b>Versetta Stone</b>	11
<b>James Hardie ColorPlus Siding</b>	12
<b>James Hardie Accessories</b>	13
<b>MiraTEC Trim</b>	14
<b>Henkel (OSI) Sealants &amp; Adhesives</b>	15
<b>AirVent Products</b>	16
<b>Bulk Nails</b>	17
<b>Masonry Metals</b>	18
<b>FastenMaster</b>	19
<b>Simpson Strong-Tie Connectors</b>	20
<b>Engineered Wood Products</b>	21
<b>Engineered Wood Products - Glue Lams</b>	22
<b>Hoover Pyro-Guard</b>	23
<b>Huber Zip System</b>	24
<b>Huber Advantech</b>	24
<b>Arauco Premium Sanded Plywood</b>	25
<b>Commodity Building Materials</b>	26
<b>Bildrite, Soundrite, and Bracerite</b>	27
<b>WIP Water &amp; Ice Protection</b>	28
<b>Felt</b>	28
<b>Ram Board</b>	28
<b>Boss Woven Polyester Strapping</b>	28
<b>Poly Sheeting</b>	28
<b>Grace Construction Products</b>	29
<b>Dow Products</b>	30
<b>Barricade Building Products</b>	31
<b>Ox Engineered Products Styrofoam SIS</b>	31
<b>Johns Manville Insulation</b>	32
<b>Certainteed Gypsum</b>	33
<b>GP Dens Brand Gypsum Panels</b>	34



# Trex Transcend®

Outperforms, outresists, outlasts . . . basically  
**OUTDECKS ALL OTHERS**


- Unparalleled beauty, distinctive, high-definition wood grain patterns are engineered with a low sheen and high-traffic technology that makes it last for decades longer than anything else on the market.
- Virtually indestructible shell, that's fade, stain, and scratch resistant. Cleans easily with soap and water making it an extremely low maintenance decking
- Trex decking is earth friendly. Made of 95% recycled materials, with manufacturing processes that are as green as they get
- 25-Year Limited Fade and Stain Warranty



Pictured above: Spiced Rum decking with Vintage Lantern accents

Available in:

- 1 x 6 - 12', 16' & 20' Square edge
- 1 x 6 - 12', 16' & 20' Grooved for hidden fasteners
- 1 x 8 - 12' Fascia
- 1 x 12 - 12' Fascia
- 2 x 4 - 16' Square Edge (Call for available colors)
- 2 x 6 - 16' Square Edge (Call for available colors)




Island Mist




Tiki Torch



Havana Gold



Spiced Rum



Lava Rock




Gravel Path



Rope Swing



Tree House



Fire Pit



Vintage Lantern

Don't forget your **railing** (see pages 6, 7 & 8)  
and **fasteners** (see page 5)

# Trex Enhance™

Low maintenance composite that offers all the charm of real wood with a high definition grain pattern, but none of the trouble.

- High performance shell is fade, stain and mold resistant
- Cleans easily with just soap and water
- Soft, splinter-free finish is comfortable underfoot
- Backed by a Trex 25 -Year Limited Residential Fade and Stain Warranty



Beach Dune



Clam Shell



Saddle

Available in: 1x6 – 12’, 16’ & 20’ Square Edge  
 1x6 – 12’, 16’ & 20’ Grooved for hidden fasteners

1x8 – 12’ Fascia  
 1x12 – 12’ Fascia

# Trex Transcend®

PORCH FLOORING & RAILING SYSTEM

Meet the greatest advance in porch technology since the rocking chair.

- No sanding, staining or painting ever
- Mold & Mildew resistant
- Backed by the Trex 25 - Year Limited Fade and Stain Warranty



Available in : 1x4.25 - 12’ & 16’ Grooved Porch Floor Boards



Spiced Rum



Gravel Path

Don't forget your **railing** (see pages 6, 7, & 8) and **fasteners** (see page 5)



# Trex Select®

Trex Select decking adds Trex's legendary luxury to your home more affordably than ever. Select decking features the hallmark high-performance shell technology and nature-inspired colors.

- Stands up to both weather and wear, thanks to Trex's proprietary shell
- Resists stains and mold better than traditional composites
- Backed by the Trex 25-Year Limited Fade and Stain Warranty




Pictured above: Saddle decking with Woodland Brown accents and Classic White Trex Trim

Available in:


- 1 x 6 - 12', 16' & 20' Square Edge
- 1 x 6 - 12', 16' & 20' Grooved for hidden fasteners
- 1 x 8 - 12' Fascia
- 1 x 12 - 12' Fascia



Woodland Brown



Madeira



Saddle



Winchester Grey



Pebble Grey

Don't forget your **railing** (see pages 6, 7 & 8)  
and **fasteners** (see page 5)

# Trex® Hideaway®

HIDDEN FASTENERS

This fastener system delivers a fast and easy installation process that allows for a clean, superior, fastener-free deck surface.

- Exclusively for use with Trex® decking
- Quick and easy installation



**Stainless Steel Fastener:**  
for use between deck boards



**Start Clip:**  
for use on perimeter boards




**Universal Fastener:**  
for use between deck boards



# TrapEase® 3

Ultimate Composite Deck Screw



- Color matched to all Trex Decking colors!
- No predrilling!
- Lifetime corrosion warranty!
- Anti-fade head paint!
- Anti-strip Torx TTAP drive system!



# Trex® Deck Lighting™




**LED Post Cap Light:** Available in flat or pyramid in all of the Transcend Railing colors



**LED Riser Light:** Sold in 4 packs. Available in Black, Bronze and Classic White



**LED Deck Rail Light:** Available in Black, Bronze and Classic White



**LED Recessed Deck Light:** Sold in 4 packs

Don't forget: Every project requires a transformer. Other items you may need include dimmer, splitter, extension cables and a forstner bit. All items are stocked at Boise Cascade.



**LED Spotlight:**  
Designed to emit a focused beam



**LED Well Light:**  
Provides ambient light for foliage and small structures



**LED Multifunction Light:**  
Casts a wide glow to highlight trees, buildings & paths



**Rounded Path Light:**  
Warm focused light with a rounded top



**Stepped Path Light:**  
Warm focused light with a stepped top

All landscape lights are available in Black & Bronze



# Trex® Transcend®

## RAILING

Modular construction offers unique design flexibility and an endless mix of choices

- An elegant, classic look
- Strong and sturdy construction
- Quick and easy assembly
- A price that delivers exceptional value
- Mix and match to create your own look



### Top Rails



Crown



Universal

### Bottom Rails



Universal



Classic White



Charcoal Black



Tree House



Vintage Lantern



Fire Pit



Gravel Path




Rope Swing

#### Items available in all Transcend Rail Colors:

Glass Panel Accessory Kit 36"x6' - Glass not included  
 Crown Top Rail - 67.5" & 91.5"  
 Universal Top/Bottom Rail - 67.5" & 91.5"  
 Accessory Infill Kit Stair & Horizontal - 67.5" & 91.5"  
 4" x 4" - 39" Post Sleeves  
 4" x 4" - 108" Post Sleeves  
 4" x 4" Post Caps - Flat and Pyramid  
 4" x 4" Post Skirt  
 Horizontal and Stair Railing Cut Kits  
 45 Degree Bird's Mouth Gasket & Railing Support Bracket Kit  
 30.375" & 36.375" Square Balusters  
 Replacement Gaskets - 0, 22.5 and 45 Degree Horizontal and Stair  
 Adjustable Foot Block

#### Items available in Classic White only:

6" x 6" - 39" Post Sleeve (for a 4x4 Post)  
 6" x 6" - 108" Post Sleeve (for a 4x4 Post)  
 6" x 6" - Post Caps - Flat and Pyramid  
 6" x 6" - Post Skirt




# Trex<sup>®</sup> Reveal<sup>™</sup>

## ALUMINUM RAILING



Minimalist Style. Maximum Strength.

- Aluminum possesses unparalleled strength with minimal geometry
- Compatible with any decking, balcony or patio
- Powder coating allows the aluminum to retain color and resist corrosion
- Washes clean with soap and water for ultra low maintenance
- Offered with an array of bracket options for easy installation



Classic White



Charcoal Black



Bronze

Available in:

- 2.5" x 2.5" x 37" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 43" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 53" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 36" Crossover Post w Cap & Skirt - Horizontal
- 2.5" x 2.5" x 42" Crossover Post w Cap & Skirt - Horizontal
- 6' x 36" Rail Kit w Square Balusters - Horizontal/Stair
- 8' x 36" Rail Kit w Square Balusters - Horizontal/Stair
- 6' x 42" Rail Kit w Square Balusters - Horizontal/Stair (Call for availability)
- 8' x 42" Rail Kit w Square Balusters - Horizontal/Stair (Call for availability)
- 6' x 36" Rail Kit w Round Balusters - Horizontal/Stair
- 8' x 36" Rail Kit w Round Balusters - Horizontal/Stair
- 6' x 42" Rail Kit w Round Balusters - Horizontal/Stair (S/O)
- 8' x 42" Rail Kit w Round Balusters - HorizontalStair (S/O)



# Trex® Select™

It's Trex, Simplified

- Won't warp, rot or splinter
- Never needs painting or staining
- Installs easily and quickly with an external bracket system
- Designed for the DIY homeowner
- Backed by the Trex 25-Year Limited Residential Warranty




Classic White


# Trex®

## ADA Compliant Handrail

The Trex ADA Compliant Handrail System includes everything you need to make your Trex railing meet ADA requirements without compromising appearance. It is compatible with all Trex railing systems including Reveal Aluminum Rail.



Classic White



Charcoal Black



Bronze

# Trex® RainEscape®


DECK DRAINAGE SYSTEM

Double your outdoor living space

- Turns unused space into an outdoor room
- No leaks, no sitting water
- Superior durability
- Fits both 12" & 16" joist spacing
- Industry leading 20 year warranty

Available in:

**Trough** 12' & 16' Lengths  
**Downspout**  
**Waterproof Tape** 4" x 50' Rolls  
**Butyl Caulking**




# Trex Elevations®

STEEL DECK FRAMING

Turns unused space under your deck into an outdoor living room when paired with the Trex RainEscape Deck Drainage System.

Low maintenance outdoor living begins with a solid foundation. Trex Elevations helps you get it right the first time.

- No sagging, rotting or warping
- 25 year limited warranty
- Superior flatness & aesthetics
- Eco-friendly recyclable material
- Impermeable to wood boring insects and chemical free
- Non-combustible fire rating



Available in:

**Beams** 2" x 8" - 12', 16' & 20'  
**Joists** 1-5/8" x 8" - 12', 16' & 20'  
**Track (ledger)** 1-1/4" x 8" - 12', 16' & 20'



Recommended Simpson Connectors



Galvanized "L" bracket  
L70, L70S



Galvanized post bracket  
AC4, LCP4, AC6, LPC6





The Look of Wood. The Luxury of Low Maintenance.

For the real look of wood, without the inherent maintenance, look no further. Here, you'll find the look you want—the style, curb appeal and elegance of wood—from Kleer PVC trim products. Plus, TruEdge technology provides a sealed edge that resists staining from dirt and grime, and easily wipes clean if dirt comes in contact with the trim-boards.

Kleer's innovative **TruEDGE® Technology** provides sharper, cleaner edges that resist dust and dirt, and a smooth finish that's easier to clean than wood trim or PVC boards with no sealed edge. Infused with UV inhibitors that prevent yellowing, they are perfect for creating authentic accents around windows, doors and more.




Available in:  
**Boards**

Kleer Packs 1 (3/4") x 4, 6, 8, 10 & 12 all 18' lengths  
5/4 (15/16") x 4, 6, 8, 10 & 12 all 18' lengths

Full Units 1 (3/4") x 4, 6, 8, 10, 12 & 16 all 18' lengths  
5/4 (15/16") x 4, 6, 8, 10, 12 & 16 all 18' lengths

Call for Sheets, Corners,  
Mouldings, Wraps &  
Accessories



**Cortex Fasteners for Kleer PVC Trim**  
The fastest, easiest way to hide fastener heads when installing Kleer PVC Trim. The finished look of Cortex for Kleer PVC trim is virtually invisible and can be painted if desired. ACQ approved.

# Versetta Stone®

The beauty of stone, the simplicity of siding.



## No Mortar. No Mason. No Mess.

- Installs just like siding
- Class A Fire Rating
- Backed by a 50-year limited warranty\*
- NAHB Green Approved Product
- Minimum of 50% recycled content as validated by UL Environment™
- International Building Code and International Residential Code Compliant

### System Features

LEDGESTONE		
Plum Creek	Sterling	Terra Rosa
TIGHT-CUT		
Plum Creek	Sterling	Terra Rosa
ACCESSORIES		
Light box	Receptacle box	Wainscot cap as window sill
Wainscot cap	Trim stones	

### Flats & Universal Corners

FLAT PANEL	UNIVERSAL CORNER
<p>The main component of the Versetta Stone® system, the Flat Panels are 8" x 36" or two square feet and weigh approximately 17 lbs. Each panel is embedded with a 26 gauge, G-90 galvanized nailing flange that allows easy installation. The 3/16" offset and predrilled weep holes in the nail strips are important parts of our moisture management system, allowing moisture to flow between the panel and the wall, eventually exiting the starter strip installed at the bottom of the wall system.</p>	<p>Manufactured using the same process as our Versetta Stone® Flat Panels, the Universal Corner is designed to be used for outside and inside corners as well as end wall terminations. The Versetta Stone® Universal Corner is the perfect component to manage corners and transitions.</p>

#### Available In:

##### Ledgestone

- 8"x36" Flat Plum Creek
- 8"x36" Flat Sterling
- 8"x36" Flat Terra Rosa
- 8"x36" Corner Plum Creek
- 8"x36" Corner Sterling
- 8"x36" Corner Terra Rosa

##### Tight-Cut

- 8"x36" Flat Plum Creek
- 8"x36" Flat Sterling
- 8"x36" Flat Terra Rosa
- 8"x36" Corner Plum Creek
- 8"x36" Corner Sterling
- 8"x36" Corner Terra Rosa

##### Accessories


- 36" Wainscot Cap Taupe
- 8"x36" Trim Stone Taupe
- 10"x8" Light Box Taupe
- 8"x6" Receptacle Box Taupe
- 10' Starter Strip
- 10' Versetta J-Channel




Installed on over 5.5 million homes from coast to coast, James Hardie Fiber Cement Siding Products are specifically engineered to resist damage from extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.



Arctic White



Autumn Tan




Chestnut Brown



Cobble Stone



Countrylane Red



Evening Blue



Heathered Moss




Iron Gray




Khaki Brown



Light Mist



Monterey Taupe



Mountain Sage




Navajo Beige



Timber Bark



Aged Pewter




Deep Ocean



Forest Pine



Gray Slate



Mulberry Wine



Night Gray



Pearl Gray



Pebble Brown



Rich Espresso



Winslow Taupe

\*Note colors shown are as accurate as printing methods will allow. Please see actual product sample for true color.

**Please call for availability and lead time.**

	<p><b>1) CAULKING:</b></p> <ul style="list-style-type: none"> <li>• Use where siding products terminate against trim, doors and windows.</li> <li>• Sold in individual tubes, all Hardie ColorPlus matching colors in stock.</li> </ul>
	<p><b>2) TOUCH-UP KITS:</b></p> <ul style="list-style-type: none"> <li>• Nail concealer tip to hide scratches, nicks, nail heads, etc. Edge coater seals the cut edges of the board and helps hide joints and seams.</li> <li>• Kit includes 4oz empty edge coater bottle with 3 tips, an empty nail concealer bottle with one tip, a pint of paint and instructions. Available in all current ColorPlus colors.</li> </ul>
	<p><b>3) HARDIEWRAP™:</b></p> <ul style="list-style-type: none"> <li>• MicroTech™ coating allows vapor to escape but holds out water and air. Engineered for Hardie Prod.</li> <li>• 9'x100' &amp; 10'x150' rolls- 11 mil thick.</li> <li>• Hardie Seam Tape - 1-7/8"x165' rolls (sold separately).</li> </ul>
	<p><b>4) STURDIMOUNT™ MOUNTING BLOCKS:</b></p> <ul style="list-style-type: none"> <li>• Painted Arctic White in stock.</li> <li>• Available in: <b>Universal</b> (8-1/2"x11") for standard lights, dryer vents/ <b>Split</b> (6"x8-1/2") for spigots, gas lines, door bells/ <b>Receptical</b> (6"x8-1/2") for electrical boxes /<b>Oversized</b> (8-1/2"x15") for coach lights.</li> </ul>
	<p><b>5) TAMLYN™ PROFILES:</b></p> <ul style="list-style-type: none"> <li>• Tamlyn makes paintable coated aluminum products that are specifically designed for the Hardie line. These include H-Mold, T-Mold, Vertical Reveal, J- Mold, Z-Bar, Corners as well as others.</li> <li>• 7-10 day lead time.</li> </ul>
	<p><b>6) SIMPLICITY TOOL:</b></p> <ul style="list-style-type: none"> <li>• Aluminum Junction Flashing to act as a weather resistant barrier behind butt joints.</li> <li>• Primed Lap Siding Corners available in both smooth &amp; textured to give the appearance of a mitered corner.</li> <li>• Primed Shake Siding Corner with vertical grain patterning for finishing corners.</li> </ul>
	<p><b>7) QUALITY EDGE COIL STOCK:</b></p> <ul style="list-style-type: none"> <li>• Aluminum product made specifically to match the ColorPlus line. Ideal to help meet all James Hardie flashing requirements such as roof, deck, step, window, door and drip edge.</li> <li>• 24" x 50' rolls. Match on 6 colors. Accent color available for remaining colors.</li> </ul>
	<p><b>8) PACTOOL:</b></p> <ul style="list-style-type: none"> <li>• PacTool diamond tip Hardie Blades generate less dust than traditional circular saw blades.</li> <li>• PacTool Hardie Blades available in 7.25", 10" and 12" diameters.</li> <li>• PacTool Gecko Gauge hangs on previous board &amp; sets exact exposure. Hang Hardie with 1 person! 48% faster than chalk lines.</li> <li>• PacTool Gecko Gauge sold in pairs of 2 per package and fits any toolbelt.</li> </ul>
	<p><b>9) FRY REGLET™ PROFILES:</b></p> <ul style="list-style-type: none"> <li>• This product is directed toward HardiePanel application. Product is aluminum and comes with a paintable chemical film or a clear anodized finish. 7-10 day lead time.</li> <li>• Available in: J Channel, Inside/Outside Corners, Vert./Horiz. Extrusion, Drip Cap and Backing Strip.</li> </ul>
	<p><b>10) EZ SHEAR™ CUTTING TOOL:</b></p> <ul style="list-style-type: none"> <li>• "Guillotine" style cutter that produces a factory style edge, produces NO dust, can be used on scaffolding, needs NO electricity. Blade lasts 10,000 cuts.</li> <li>• Comes with sharpening stones. Adjustable arm for angle cuts sold separately.</li> </ul>





**MIRATEC**<sup>®</sup>  
Treated Exterior Composite TRIM  
**BORN TO BE BADDEST.**<sup>™</sup>

**No Other Trim Performs Like MiraTEC.**

- Resists moisture, rot and termites.
- Reversible with a clear, cedar wood grain texture on one side and a smooth surface on the other.
- Handles like wood; easy to machine, cut and nail.
- Won't check, split or crack.
- TEC<sup>™</sup> patented process makes MiraTEC a solid board that has uniform properties throughout.
- Primed with an ultra-low VOC primer containing a mildewcide.
- Building code compliant (ESR-3043): MiraTEC is the first and only wood composite trim to earn an evaluation report (ESR-3043) from ICC-ES.

**MIRATEC<sup>®</sup> Trim Available In:**

4/4" x 2", 3", 4", 5", 6", 8", 10", 12" & 16" All in 16' Lengths  
5/4" x 2", 3", 4", 5", 6", 8", 10", 12" & 16" All in 16' Lengths  
5/4" x 4" & 6" All in 16' Lengths

## OSI QUAD MAX

- Can be used on a wide range of materials
- Can be applied in temperatures as high as 140° F and as low as 0° F
- Proven wet surface application
- Durable plastic tube
- Superior flexibility
- Won't shrink
- Dust and dirt resistant
- Paintable in 1 hour
- Cures in 24 hours
- Over 4,600 color matches including all James Hardie ColorPlus colors

Work on YOUR terms, not Mother Nature's!



## QUAD



- Use on window & door installations
- Can be used with fiber cement and vinyl siding, PVC trim, roofing and gutters.
- Can be used in temps as high as 120° F and as low as 0° F
- Paintable
- Flexible
- Wet surface application
- UV and water resistant
- Won't yellow or crack
- Available in over 350 colors

## PL PRO LINE



- Universal bonding for drywall, wood, OSB, concrete, brick, stone, metal, PVC, foam & more
- Water resistant
- Won't shrink
- Low odor
- Available in Fast Grab formula for when you need it to set up quickly





### Shingle Vent II

- 12" width for most applications
- 18 sq. in. NFA per linear ft
- External baffle and weather filter
- 3/12 to 16/12 roof pitch
- Miami-Dade County approved
- Lifetime limited warranty; 5-Year Replacement Plus protection
- Available with a bag of ring shank nails taped to each 4-foot piece




### Peak Performer

- External baffle shingle-over
- Nail gun friendly with two coils of nails; built-in ventilating end plug
- 12 sq. in. NFA per linear ft.
- 3/12 to 12/12 roof pitch
- Lifetime limited warranty; 5-Year Replacement Plus protection
- Available in both filtered and unfiltered



### Airhawk Aluminum Turbine

- Maintenance-free dual bearing system
- Adjustable base
- Heavy-duty polypropylene bracing system
- Miami-Dade County approved
- Easy installation
- Lifetime limited warranty
- Internal and external brace available



### SLP61 Slant Back Plastic

- 16.5" x 19.5" flashing
- NFA: 61/pc.
- 9" square opening
- Available in black, brown, gray, and weathered wood



### RVG 55 Slant Galvanized

- Heavy-duty galvanized construction
- NFA: 50/pc.
- 8" round opening
- Optional filter available (also available in white)



### Power Cool Plus

- Lifetime limited warranty
- UL listed with thermal overload protection
- Roof-mount metal with pre-wired humidistat thermostat

Don't forget Boise Cascade has access to the entire line of AirVent Products.  
Please call for availability and lead times.



**6D Bright Common Nails**  
**8D Bright Common Nails**  
**10D Bright Common Nails**  
**16D Bright Common Nails**



**6D Bright Duplex Nails**  
**8D Bright Duplex Nails**  
**16D Bright Duplex Nails**



**8D Vinyl Coated Sinker Nails**  
**16D Vinyl Coated Sinker Nails**



**1-1/4" Coil Roofing Nails**



**1" Plastic Cap Nails**



**MORE SIZES AND STYLES AVAILABLE VIA SPECIAL ORDER**



Rebar			
Size	Diameter	Grade	Import or Domestic
#3x20'	3/8"	40/280	Import
#3x20'	3/8"	60/420	Import
#4x20'	1/2"	40/280	Import
#4x20'	1/2"	60/420	Import
#5x20'	5/8"	60/420	Import
#6x20'	3/4"	60/420	Import

Reinforcing Mesh Rolls					
	Size	Gauge	Width	Length	Truck Qty
<b>Stock:</b>	6x6	10	5'	150'	324
Other Sizes Available by Special Order					

Tie Wire			
Size	Gauge	Pack	Coating
<b>3-1/2 LB</b>	16	20	Black
<b>3 LB</b>	16	20	PVC Gold

Bar Ties		
Size	Gauge	Qty
<b>6"</b>	16	5 x 1M
<b>8"</b>	16	5 x 1M

Anchor Bolts							
Length	6"	8"	10"	12"	8"	10"	12"
<b>Diameter</b>	1/2"	1/2"	1/2"	1/2"	5/8"	5/8"	5/8"
<b>Type</b>	Galv	Galv	Galv	Galv	Galv	Galv	Galv
<b>Pcs/Box</b>	50	50	50	50	25	25	25
Other Sizes Available by Special Order							

Nail Stakes		
Diameter	Length	Pack
<b>3/4" Stake</b>	18"	10
<b>3/4" Stake</b>	24"	10
<b>3/4" Stake</b>	36"	10

Metal Slab Bolters		
Size		LNFT/BDL
<b>3/4"</b>	Dipped	100
<b>1"</b>	Dipped	100
<b>1-1/2"</b>	Dipped	100
<b>2"</b>	Dipped	100

Plastic Rebar Chairs	
Size	Pieces/Bag
<b>1-1/2"- 2"</b>	200

Square Washers			
Size	Type	Hole Size	Pcs/Box
<b>3/16"x2"x2"</b>	Galvanized	5/8"	50



**Cortex:** Fastened in the same way as traditional deck boards, these plugs provide a perfect color match that hide the screw head completely. The screws are guaranteed corrosion resistant, ACQ approved and don't require predrilling. Made in the USA

Available in: All Trex Transcend and Trex Select colors



**Trim Top:** Stainless steel, square drive, head painted screws to secure fascia and guaranteed not to rust for the life of the project. #8 gauge screws provide a strong connection and with multiple lengths and package sizes available, finishing the project just got easier.

**Timber Lok:** Stronger than 3/8" lag bolts, these screws require NO predrilling and are ACQ approved. The tapered head counter-sinks into wood to give a nice finished appearance and with lengths ranging from 2-1/2" to 10" there is a screw for every project. Just to top it off, there is a free bit in every package.

**Truss Lok Z:** Approved for single sided installation and made to prevent gapping or cupping between two, three, and four-ply girders. They are the ideal fastener for carrying beams, headers, and other multi-ply applications and require no predrilling. The lengths that are available are made specifically to secure boards in an up to four-ply dimensional wood project.

**Thru Lok:** This screw bolt fastener will make jobs move much faster than with carriage bolts. There is no predrilling, no special drill bits and no wrenches required. The galvanized coating allows for use with treated lumber and it comes with a lifetime performance guarantee.

**Ledger Lok:** This fastener is stronger than 1/2" lag bolts, have a built-in washer head design and are approved for use in ACQ lumber. It is the perfect fastener to attach deck ledgers to wooden house structures with ease.

**Head Lok:** The sharp gimlet point allows for fast installation into wood and OSB with out having to predrill. Head Loks have a wafer head that eliminates the need for washers and an aggressive thread for holding and withdrawal strength. The star drive head reduces the chance of striping and a free Spider Drive bit is included in every package.

**Truss Lok:** All of the great benefits of the Truss Lok Z, but made specifically to work with engineered wood products, this fastener will save time and money with a higher side load capacity that will cut down on the amount of fasteners needed on each job and Truss Loks are specified by Trus Joist, Boise Cascade, GP and other leading wood manufacturers.

**Guard Dog:** An exterior wood screw with a unique Pozisquare Drive, #2 square drive and phillips drive. These fasteners are fully tested and fully guaranteed corrosion resistant in ACQ, cedar, redwood and copper azole. There is a free bit included in every package.



**Trio:** This deck screw will provide excellent results with softwood decking like cedar, redwood, and pressure treated decking. Equipped with a #25 Torx TTAP head, a ThruPOINT tip and two different thread sizes on the shaft, Trio screws will resist splitting and eliminate the wedging effect while providing a strong connection from the deck plank to the frame. The plating and coating on these screws deliver corrosion resistance 2x better than standard deck screws. The lid on the 5# boxes come with a TRIO Spotter Installation Guide that will not only provide consistent spacing of the screws themselves, but also of the deck boards, helping to create a beautiful, professional appearance whether being installed by a contractor or DIYer alike.





## DECK CONNECTORS

### QUIK DRIVE



**Quik Drive® Auto-Feed Systems** increase productivity while providing superior fastener performance, fastening has never been as fast or as cost-effective. Collated-screw fastening tools are replacing traditional nail guns for their speed, reliability and power. Quik Drive® auto-feed screw driving systems are easy to use, durable and designed for a wide variety of fastening applications. Featuring quick-loading screw strips, precise countersink adjustment and a patented auto-advance mechanism, Quik Drive tools save time and expense on jobsites every day.

Simpson Strong-Tie also offers a full line of corrosion resistant fasteners & Collated fasteners



Bugle Head Wood Deck Screw



Composi-Lok Deck Screw



Deck Drive Screw



Dexxter Composite Deck Screw



WSNTL Subfloor Screw



WSHL Subfloor Screw

## ENGINEERED WOOD CONNECTORS



**Architectural Ornamental Hangers:** Perfect for big jobs where attention to detail is important, these hangers come prefinished in black powder-coat to give the project a timeless look.




**EWP Hangers:** Boise Cascade has access to the full line of Simpson Strong-Tie products to provide connectors and hangers for every job.

## DECK CONNECTORS



## Stocked Products

### BCI® Joists



Some products may not be available in all markets. Contact your Boise Cascade EWP representative for availability.  
**BCI® and VERSA-LAM® products shall be installed in dry-use applications only, per their respective ICC ESR evaluation reports.**

### Boise Cascade BCI® - LVL Flange

- BCI® 4500s Series 1-3/4" x 9-1/2", 11-7/8" & 14"
- BCI® 6000s Series 2-5/16" x 9-1/2", 11-7/8" & 14"
- BCI® 6500s Series 2-9/16" x 16"
- BCI® 90s Series 3-1/2" x 11-7/8" & 14"



### Boise Cascade SYP VERSA-LAM® Beams - 3100Fb 2.0E

LVL Beams 1-3/4" thick by  
 5-1/2", 7-1/4", 9-1/4", 9-1/2", 11-1/4", 11-7/8",  
 14", 16", 18", 20" & 24"

### Boise Cascade SYP VERSA-STUD® - 2650Fb 1.7E

LVL VERSA-STUD® 1-1/2" thick by  
 3-1/2", 5-1/2" & 7-1/4"

### Boise Cascade VERSA-LAM® Columns

LVL Columns 2750Fb 1.8E SYP 3-1/2" thick by  
 3-1/2" & 5-1/2"  
 LVL Columns 2750Fb 1.8E SYP 5-1/4" thick by  
 5-1/4" & 7"  
 LVL Columns 2650Fb 1.7E Doug Fir 7" thick by 7"

### Boise Cascade OSB Rim Board (12' Lengths)

1-1/8" thick by 9-1/2", 11-7/8", 14" & 16"



Joist Depth	BCI® Joist Series	*** THREE STAR***				
		12" O.C.	16" O.C.	19.2" O.C.	24" O.C.	32" O.C.
9-1/2"	4500s 1.8	16'-11"	15'-6"	14'-8"	13'-7"	11'-9"
	5000s 1.8	17'-6"	16'-0"	15'-2"	14'-1"	12'-5"
	6000s 1.8	18'-2"	16'-8"	15'-8"	14'-8"	13'-4"
	6500s 1.8	18'-8"	17'-1"	16'-1"	15'-0"	13'-8"
11-7/8"	4500s 1.8	20'-0"	18'-4"	17'-3"	15'-5"	13'-4"
	5000s 1.8	20'-9"	19'-0"	17'-11"	16'-7"	13'-4"
	6000s 1.8	21'-7"	19'-8"	18'-7"	17'-4"	14'-10"
	6500s 1.8	22'-2"	20'-3"	19'-2"	17'-10"	14'-10"
	90s 2.0	26'-7"	24'-3"	22'-10"	21'-3"	19'-4"
14"	4500s 1.8	22'-9"	20'-7"	18'-9"	16'-9"	13'-11"
	5000s 1.8	23'-7"	21'-7"	20'-2"	18'-0"	13'-11"
	6000s 1.8	24'-6"	22'-5"	21'-2"	19'-6"	15'-5"
	6500s 1.8	25'-2"	23'-0"	21'-8"	20'-2"	15'-5"
	90s 2.0	30'-1"	27'-5"	25'-10"	24'-0"	19'-6"
16"	4500s 1.8	25'-2"	22'-0"	20'-1"	17'-11"	14'-1"
	6000s 1.8	27'-0"	24'-9"	23'-4"	20'-10"	15'-9"
	6500s 1.8	27'-9"	25'-4"	23'-11"	21'-1"	15'-9"
	60s 2.0	29'-7"	27'-0"	25'-6"	21'-10"	16'-4"
	90s 2.0	33'-4"	30'-4"	28'-7"	26'-2"	19'-7"

## PORT ORFORD CEDAR

- Naturally decay resistant without any added chemicals
- Architectural appearance that is light reflective, great for interior applications
- Recognized by Federal and Trade Agencies for wet conditions performance (not intended for direct contact with ground and water)

### Architectural

#### Sizes stocked at Boise Cascade BMD:

- 3-1/8"x12" Port Orford Cedar Glulam Beam 22F-V14
- 5-1/8"x5-1/8" Port Orford Cedar Glulam Column Combination 74
- 5-1/8"x12" Port Orford Cedar Glulam Beam 22F-V14
- 5-1/8"x15" Port Orford Cedar Glulam Beam 22F-V14
- 5-1/8"x18" Port Orford Cedar Glulam Beam 22F-V14

\*Design values available upon request



### I-Joist Compatible Glulams:

- 3-1/2x7-1/2 Framing Grade 24F-V4
- 3-1/2x9-1/2 Framing Grade 24F-V4
- 3-1/2x11-7/8 Framing Grade 24F-V4
- 3-1/2x14 Framing Grade 24F-V4
- 3-1/2x16 Framing Grade 24F-V4
- 5-1/2x7-1/2 Framing Grade 24F-V4
- 5-1/2x9-1/2 Framing Grade 24F-V4
- 5-1/2x11-7/8 Framing Grade 24F-V4
- 5-1/2x14 Framing Grade 24F-V4
- 5-1/2x16 Framing Grade 24F-V4

### Also available from Boise Cascade via special order:

- Douglas Fir Glulams
- Durable Beams & Columns for Exterior Use
- Rough Sawn & Custom Glulams
- BCI Joists shown in the top table on the previous page but not listed

Software, literature and Code Reports available at [www.bc.com/ewp](http://www.bc.com/ewp)



# PYRO-GUARD<sup>®</sup>

INTERIOR FIRE RETARDANT LUMBER AND PLYWOOD

AVAILABLE AT BOISE CASCADE - MINNEAPOLIS

SUPERIOR TO PAINT OR COATINGS

TERMITE AND DECAY RESISTANT

STRONGEST FRTW WARRANTY

COMPETITIVE PRICING



 **HOOVER**  
TREATED WOOD PRODUCTS, INC.  
WWW.FRTW.COM 1.800.531.5558



Pyro Guard Interior Fire Retardant Lumber

	8'	10'	12'	14'	16'	18'	20'
2x4	✓	✓	✓	✓	✓	Special Order	Special Order
2x6	✓	✓	✓	✓	✓	Special Order	Special Order
2x8	✓	✓	✓	✓	✓	Special Order	Special Order
2x10	✓	✓	✓	✓	✓	Special Order	Special Order
2x12	✓	✓	✓	✓	✓	Special Order	Special Order
	1/2"		5/8"		3/4"		3/4" T&G
4x8 CDX	✓		✓		✓		✓
4x8 AC	Special Order		Special Order		Special Order		Special Order
4x8 Underlayment							✓

\*Fire X Exterior Fire Retardant Treated is available via special order

## FOR A QUALITY BUILD EVERY TIME.



### FLAT OUT BEST™ FOR A QUIET, STIFF FLOOR

Build strong with the flooring that's engineered to resist swelling, cupping and delamination. Advantech® flooring features industry-leading strength and stiffness, superior moisture resistance and superb fastener-holding to deliver the quiet, solid feel of a quality built home.

[AdvantechStrong.com](http://AdvantechStrong.com)



### THE FASTEST WAY TO THE PERFECT TIGHT HOUSE™

Zip it tight™ with the extreme protection of ZIP System® sheathing & tape. It's a one-of-a-kind structural roof and wall system with a built-in energy-efficient barrier that keeps air and moisture out, installs with ease and adds structural durability for a quality built home.

[ZIPsystem.com](http://ZIPsystem.com)



**Ask us about our first-time user rebates.**

© 2014 Huber Engineered Woods LLC. Advantech, ZIP System, the accompanying Advantech and ZIP System logos and designs are trademarks of Huber Engineered Woods LLC. Huber is a registered trademark of J.M. Huber Corporation. HUB 3106 07/14



### Available In:

Advantech OSB T&G Underlayment -  
23/32" 4x8 Panels

ZIP System Wall Sheathing- 7/16" 4x8, 4x9, 4x10 Panels  
ZIP System Roof Sheathing- 1/2" & 5/8" 4x8 Panels  
ZIP System R Sheathing- 15/16" & 1-7/16" 4x8 Panels  
ZIP System Valley Window & Door Flashing  
3M ZIP Tape for ZIP Sheathing



# ARAUCOPLY™

*MORE THAN JUST A PRETTY FACE™*

## ARAUCO

Atlanta, GA  
Phone: 770-350-1627  
sales@arauco-usa.com  
www.arauco-usa.com

[www.araucopy.com](http://www.araucopy.com)

## AraucoPly Premium Sanded

- Pre-Sanded and Ready to Finish.
- Stable composed core.
- Made from pine grown in sustainably-managed plantation forests.



Available in:

<b>AC</b>	1/4", 3/8", 1/2", 5/8" & 3/4"
<b>T1-11</b>	5/8" 8"O.C.
<b>Beaded</b>	3/8"



## Dimensional Lumber

	SPF #2 & BTR	SPF Premium	SPF 1650	DF #2 & BTR	WF #2 & BTR
2x4	✓	✓	✓		
2x6	✓	✓	✓		
2x8	✓				
2x10	✓			✓	✓
2x12				✓	✓



## Studs

	84"	92-5/8"	96"	104-5/8"	108"	116-5/8"	120"
2x4 Studs	✓	✓	✓	✓	✓	✓	✓
2x6 Studs		✓	✓	✓	✓	✓	✓
2x4 Premium		✓	✓	✓			
2x6 Premium		✓	✓	✓			
2x4 #2 & BTR		✓		✓			
2x6 #2 & BTR		✓		✓			

## OSB PANELS

Ainsworth, LP, Norbord & Huber  
 4X8 - 7/16", 15/32", 1/2", 19/32" Sq Edge,  
 23/32" Sq Edge, 23/32" T&G Sturd-I-Floor  
 7/16" 4X9 & 4X10 SYP & Northern Board  
 1"X11-1/2" 42", 48" & 144" OSB SteadiTreads  
 23/32" T&G Durastrand  
 23/32" T&G Advantech

## SIDING

3/8" 4 X 8 Rough Sawn Square Edge Fir  
 No Groove



## PLYWOODS (FIR)


3/8" 4x8 CDX  
 15/32" 4X8, 4X9 & 4X10 CDX 4 Ply  
 15/32" 4X8 CDX 5 Ply  
 19/32" 4X8 CDX 4 & 5 Ply  
 23/32" CDX  
 23/32" 4X8 T & G Sturd-I-Floor CXBand Scant  
 23/32" 4X8 T & G Sturd-I-Floor CXBand Full Face  
 1-1/8" 4X8 T & G Sturd-I-Floor CXBand Full Face

## PLYWOODS (SYP)

15/32" 4X8 4 Ply Rated Sheathing  
 19/32" 4X8 4 Ply Rated Sheathing  
 23/32" 4X8 5 Ply Rated Sheathing  
 23/32" 4X8 Sturd-I-Floor CXBand Scant


## SANDED PLYWOOD

Marine Grade FIR 1/2", 5/8" & 3/4"





<b>Bildrite Sheathing:</b> This strong, durable board is manufactured from hardy northern wood fibers and incorporates up to 15% recycled fiber. Asphalt impregnation increases strength and adds a high resistance to moisture.		
ADVANTAGES	PROPERTIES	
Superior Moisture Resistance	Thickness	25/32"
Structural Rigidity	Vapor Permeance	25+ Perms
Dimensional Stability	Water Absorption	3.5% by Vol.
Reliable Service	R-Value	2.06
CERTIFICATIONS & COMPLIANCE	SIZES	PIECES/UNIT
ASTM C208 & C209	4x10	60
Third party certification as required by	4x9	60
International Building Code (IBC)	4x8	60
<b>Bracerite Sheathing:</b> This strong, durable board is manufactured from hardy northern wood fibers and incorporates up to 15% recycled fiber. Asphalt impregnation increases strength and adds a high resistance to moisture.		
ADVANTAGES	PROPERTIES	
Superior Moisture Resistance	Thickness	1/2"
Structural Rigidity	Vapor Permeance	20 Perms
Dimensional Stability	Water Absorption	3.5% by Vol.
Reliable Service	R-Value	1.22
CERTIFICATIONS & COMPLIANCE	SIZES	PIECES/UNIT
ASTM C208 & C209	4x10	90
Third party certification as required by	4x9	90
International Building Code (IBC)	4x8	90
<b>Soundrite Sheathing:</b> This strong, durable board, incorporating up to 15% recycled fiber, can be used in many applications where sound deadening is desired. Suitable for interior applications, this board is ideal for cutting sound transmission between interior rooms, between floors, or isolation from outdoor sound.		
ADVANTAGES	PROPERTIES	
Excellent Sound Deadening	NRC	.035
Dimensional Stability	STC	25
Reliable Service	R-Value	1.32
CERTIFICATIONS & COMPLIANCE	SIZES	PIECES/UNIT
ASTM E90-90, E413-87, E795-93 & C423-90A	1/2" 4x8	90



## WIP 100

WATER & ICE PROTECTION GRANULAR SURFACE

**WIP 100 Ice and Water:** 55 mil underlayment for use on areas such as eaves, ridges valleys, dormers and skylights. Rubberized asphalt, fiberglass-reinforced membrane coupled with a granular surface provides excellent skid resistance. Easy to apply with a split release film and rated for 30 day exposure. UL classified; FL #6785; ICC-ES ESR 1556; Miami-Dade approved. Available in 1 sq and 2 sq rolls.

**WIP 300 Ice and Water:** 40 mil, high temperature underlayment designed for use under metal, including copper, zinc and COR-TEN; can also be used under synthetic, concrete, and clay tiles and asphalt shingles. The skid resistant polyolefin film laminated to a thick layer of rubberized asphalt is easy to apply due to the split release film and has a minimum of a 60 day exposure. UL Classified; FL #6785; ICC-ES ESR 2206.

## WIP 300HT

WATER & ICE PROTECTION HIGH-TEMPERATURE PROTECTION

**Felt:** Asphalt saturated organic felt. 36"x144', 432 sqft. rolls are available in both 15# and 30#. Boise Cascade BMD only carries ASTM 4869 rated felt to ensure it meets local building codes.



**Ram Board:** Ram Board is a heavy-duty, temporary floor protection engineered for contractors. Designed with cost and efficiency in mind, it lays out fast and is re-usable. Ram Board is non-staining and utilizes Flex-Fiber™ technology allowing for the proper curing of new floors on jobsites. Exclusive Spill Guard™ technology provides added protection against water, paint, mud, and more. Ram Board provides proven and trusted protection for new and existing concrete, wood, tile, stone, linoleum, vinyl composition tile(VCT), epoxy and most other floor types. In terms of floor protectors Ram Board is the #1 choice among contractors worldwide. Ram Board is committed to being a good steward of the environment. It is composed of 100% recycled materials and contributes toward LEED credits.

**BOSS Woven Polyester Strapping:** Safer and just as strong as similar sized metal banding, BOSS Strapping is lighter, and easier to work with and won't "pop" and hurt product or people. BOSS Strapping has been tested by break test strengths and also system break tests to ensure that not only is the strapping durable but the entire system, strap and buckle are strong enough to get the job done right the first time. The strapping and buckles are available in: ¾" and 1½" widths.



**Poly Sheeting:** Made by Poly America and stocked in both 4 mil and 6 mil in various widths and lengths, there is a poly right for every job. Both black and clear polys are available. Product is made from 100% recycled material.

**Reinforced Poly Sheeting:** Made by Raven Engineered Films this durable line of DURA-SKRIM® R Series products are manufactured using two outer layers of high-strength virgin polyethylene laminated together with a third layer of molten polyethylene. Diagonal polyester scrim reinforcement is placed between these plies to greatly enhance tear resistance and increase service life. This results in a strong, light-weight material that is excellent for use as an enclosure or liner in many conditions. Stocked in 12', 16', 20' & 24'





Protect Against Moisture, Air, Water Leaks & Corrosion with

# GRACE

## Construction Products

With today's innovative designs, reducing risk requires advanced envelope solutions that maximize building performance. Your building must perform flawlessly under a wide variety of conditions—year after year—while delivering ultimate moisture protection and long-term durability. Count on Grace Construction Products for comprehensive solutions to protect your building envelope's integrity—as well as your own.



Available In:	
36"x75' 225 SQFT Ice & Water Shield	36"x65' 25 MIL Grace Select Ice & Water
36"x36' 108 SQFT Ice & Water Shield 1 SQ	4", 6" & 9"x75' Vycor Plus - Packaged
36"x66.7' 200 SQFT Ice & Water Shield 2 SQ	4", 6", 9" & 12"x75' Vycor Plus - Bulk
36"x66.7' 200 SQFT Ice & Water Shield HT	4", 6", 9" & 12"x75' Vycor Pro
48"x250' Tri-Flex UDL	18"x150' 75 SQFT Roof Detail Membrane



Continuous Insulation

Attic

Penetrations

Windows & Doors

Water-Resistive Barrier

Below Grade

## ENERGY EFFICIENCY FOR EVERY HOME.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow



[www.insulateyourhome.com](http://www.insulateyourhome.com)



### Available In:

1" 4x8 & 4x9 T&G Styrofoam Sheathing 25 PSI  
 1-1/2" 4x8 SB SQ Edge Styrofoam Sheathing 25 PSI  
 3/4", 1" & 2" 4x8 SQ Edge Styrofoam Sheathing 25 PSI  
 1/2" 4x8 & 4x9 Duramate Sheathing  
 1" 48x96 Utilityfit Scored R5 15PSI  
 1-1/2" 48x96 Utilityfit Scored R7.5 15PSI

2" 48x96 Utilityfit Scored R10 15PSI  
 1/2" 4x8 & 4x9 Residential Sheathing R3.0  
 9'x100' & 9'x150' Weathermate Plus Housewrap Blue  
 10'x100' & 10'x150' Weathermate Plus Housewrap Blue  
 1-7/8x165' & 3"x165' Weathermate Construction Tape





**Stock Items:**

**Barricade UTIL-FLASH**

4" X 75', 6" X 75', 9" X 75'

**Barricade CONFORM FLEX FLASHING**

8" X 75'

**Barricade Housewraps**

9' X 100', 10' X 150'

**Barricade Housewrap Tape**

1-7/8" X 165'



**Styrofoam SIS<sup>™</sup>**  
**Structural Insulated Sheathing**



Strengthen your bottom line by increasing efficiency in every home you build: efficiency of design, efficiency of effort and perhaps most important, efficient use of energy required for heating and cooling. Do it all without adding a single step to the construction process.



**Stocked in:**

1/2" 4x8

1/2" 4x9

1" 4x8

1" 4x9





# MATERIALS MATTER.™



**At Johns Manville, everyone in our company is committed to a core principle: Materials Matter.**

Our focus on performance inspires our research, design and manufacturing teams to consistently deliver quality products that promote more comfortable, healthier and energy-efficient environments.



**Unfaced**  
Thermal and sound-control batts and rolls.




**Kraft-Faced**  
Kraft vapor retarder for moisture control.



**ComfortTherm®**  
Plastic wrapped for more comfortable installation.



**EasyFit®**  
Perforated for installation without cutting.  
Great for nonstandard cavities.



**Climate Pro®**  
Lightweight blown-in attic insulation that won't settle.




# Professional grade sustainable gypsum board and finishing products

Designed to satisfy the most demanding specs and the most critical eye.



## Moisture & Mold Resistant Gypsum Board

Specially engineered to provide enhanced protection against mold growth.



## Easi-Lite™

### Lightweight Gypsum Board

Up to 30% lighter than standard wallboard.



## silentFX™

### Noise-Reducing Gypsum Board

Achieves STC ratings of 50 and higher.



## Diamondback™

### Tile Backer

Unique, textured pattern improves bond and reduces tile slippage.

Water-resistant core and surface; paperless for strength.



## GlasRoc®

### High-Performance Exterior Sheathing & Shaftliner

Long-term protection to weather exposure; excellent fire resistance properties.



800-233-8990 • [certaiteed.com](http://certaiteed.com)

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE • FOUNDATIONS  
GYPSUM • CEILINGS • INSULATION • PIPE

**Certaiteed**  
SAINT-GOBAIN

### Available in:

- 1/2" 4x8, 4x12, 54"x8 & 54"x12 Easi-Lite Lightweight Gypsum Board
- 3/8" 4x8 Regular Gypsum Board
- 5/8" 4x8 & 4x12 Firecode Gypsum Board
- 5/8" 4x8 Exterior Gypsum Sheathing
- 1/2" 4x8 Moisture & Mold Resistant Gypsum Board







**Georgia-Pacific**  
Gypsum  
Building Reputations Together®

DensGlass® Sheathing  
DensArmor Plus® Panels  
DensShield® Tile Backer  
DensGlass® Shaftliner  
DensDeck® Roof Boards

**Boise Cascade has the Dens® Brand family of products you need.**



**Boise Cascade**  
Lakeville, MN 1.800.281.5503

Unless otherwise noted, all trademarks are owned by or licensed to Georgia-Pacific Gypsum LLC. BOISE CASCADE is a trademark of Boise Cascade, L.L.C. ©2013 Georgia-Pacific Gypsum LLC. All rights reserved.

**Available In:**

- 5/8" 4x8 DensArmor Plus® Interior Guard
- 1/2" 4x8 DensGlass Gold® Exterior Guard
- 5/8" 4x8 DensGlass Gold® Exterior Guard
- 1/4" 4x4 DenShield® Tile Guard
- 1/2" 32x60 DenShield® Tile Guard
- 1/2" 48x60 DenShield® Tile Guard

- 1/2" 4x8 DensShield® Tile Guard
- 5/8" 4x8 DensShield® Tile Guard
- 1/2" 4x8 DensDeck® Prime Roof Board
- 5/8" 4x8 DensDeck® Prime Roof Board
- 1/4" 4x8 DensDeck® Prime Roof Board





*We're on our way to being your #1 supplier...*

**AdvanTech**



**Boise Cascade**  
Engineered Wood Products



**James Hardie**  
Building Products

**Dow**  
Building &  
Construction

**MIRATEC**  
Treated Exterior Composite TRIM

**Versetta Stone**

... with  
Nationally  
Recognized  
Products

**OSI**  
Pro Series

**Trex**

**FastenMaster**  
FASTER EASIER STRONGER

**SIMPSON**  
Strong-Tie

**GRACE**

**JM**  
Johns Manville



**Boise Cascade**

Building Materials Distribution  
8714 215th St West • Lakeville, MN 55044

**952/469-5900**