



**Boise Cascade**

800-371-9615

# Specialty Products Catalog

*Decking • Railing • Lighting • Siding • Stone • and more*

Trex Transcend Decking & Railing



Grace Ice & WaterShield



Trex Lighting



MiraTEC Trim



James Hardie Siding



Huber AdvanTech



Boise Cascade EWP



**Boise Cascade Building Materials Distribution**

3007 Harding Highway East, Marion, OH 43302

800-371-9615 Fax: 740-382-6702 [bc.com/distribution](http://bc.com/distribution)

ClipStone Stone Veneer



# Key Brands

**FRY REGLET**  
ARCHITECTURAL METALS

**CLIPSTONE**  
MORTARLESS STONE VENEER  
BY ENVIRONMENTAL STONEWORKS®

**KLEER**®

 **Boise Cascade**  
Engineered Wood Products

**Trex**®

**ZIPsystem**™  
SHEATHING & TAPE

**ANTHONY**®  
ANTHONY FOREST PRODUCTS CO.

  
**RAM BOARD**  
TEMPORARY FLOOR PROTECTION

**AdvanTech**®  
FLOORING & SHEATHING

 **FastenMaster.**  
FASTER EASIER STRONGER

 **JamesHardie**

 **HOOVER**  
TREATED WOOD PRODUCTS, INC.

**SIMPSON**  
**Strong-Tie**

**MIRATEC**®  
by JELD-WEN

 **gcp** applied technologies  
GRACE CONSTRUCTION & PACKAGING

 **ARAUCO.**

 **BOSS**™  
Tiedowns and Strapping

**SturdiMount.**

 **BEAR SKIN**  
COLORS  
Joint Flashing  
in a Flash!  
Manufactured with pride in the USA

**HardieWrap**®

3007 Harding Highway East  
Marion, OH 43302  
800-371-9615  
[www.bc.com/distribution](http://www.bc.com/distribution)

Rev.2 2-2017

<b>PRODUCTS</b>	<b>PAGE</b>
<b>Trex Decking, Railing &amp; Porch Flooring</b>	
TrexPro	4 - 5
Transcend Decking	6
Enhance Decking	7
Select Decking	8
Transcend Railing	9
Select Railing	10
Signature Railing	10
RainEscape Deck Drainage System	11
Elevations Steel Deck Framing	11
Deck Lighting	12
Transcend Porch Flooring	12
<b>FastenMaster</b>	13
<b>Clipstone Mortarless Stone Veneer</b>	14
<b>Kleer PVC Trim &amp; Moulding</b>	15 - 17
<b>Ramboard Temporary Floor Protection</b>	18
<b>Miratec Exterior Composite Trim</b>	19
<b>James Hardie ColorPlus Siding</b>	20 & 21
<b>Fry Reglet Trims</b>	22
<b>GreenGuard</b>	23
<b>GCP Applied Technologies</b>	24 & 25
<b>Engineered Wood Products</b>	26 & 27
<b>Anthony GluLam Beams</b>	28
<b>Huber Zip System &amp; Advantech</b>	29
<b>Arauco</b>	30
<b>Hoover Fire Retardant Treated</b>	31
<b>Long Length Dimension/Boise Cascade Boards</b>	32

The Trex logo is displayed in a white box in the upper left corner of the image. It features the word "Trex" in a bold, black, sans-serif font, with a registered trademark symbol (®) to its upper right. The letters "e" and "x" have a stylized, horizontal-line texture.

## TrexPRO®

PLATFORM OVERVIEW

A loyalty program that actually builds your business

As the world's #1 decking brand, Trex® offers business-building rewards to its well-qualified partners.

The TrexPro® platform makes it easy to increase your company's exposure with a customizable marketing program and win over customers with our long-lasting, low-maintenance products.



## ENGAGE: How You'll Reach Customers

### MEET THEM WHERE THEY'RE LOOKING

- » Online presence
  - Build your complimentary, SEO-friendly profile page on Trex.com
  - Upload photos to showcase your company to prospective clients
  - Feature satisfaction survey results, automatically posted by Trex
- » Co-branded tools
  - Spread the word with vehicle wraps, business cards, yard signs and more

## EXCEL: How You'll Keep Them Happy

### A SATISFIED CUSTOMER IS A REFERRING CUSTOMER

- » Register your customers' warranties on their behalf
- » Trex will send a welcome kit including a Customer Satisfaction Survey, warranty documents and Care & Cleaning Guide to your customer

## Trex Transcend®

Outperforms, outresists, outlasts . . . basically  
**OUTDECKS ALL OTHERS**


- Unparalleled Beauty. Distinctive, high-definition wood grain patterns are engineered with a low sheen, high-traffic technology that makes it last for decades longer than anything out there
- Hassle Free. Virtually indestructible shell, that's fade, stain, and scratch resistant, and cleans easily with soap and water
- Earth Friendly. Made of 95% recycled materials, with manufacturing processes that are as green as they get
- 25-Year Limited Fade and Stain Warranty



Available in:

- 1 x 6 - 12', 16' & 20' Square edge
- 1 x 6 - 12', 16' & 20' Grooved for hidden fasteners
- 1 x 8 - 12' Fascia
- 1 x 12 - 12' Fascia
- 2 x 4 - 16' Square Edge (Tropical colors only)
- 2 x 6 - 12', 16' & 20' Square Edge (Tropical colors only)

**Trex Transcend & Select Railing**  
features modular construction offering  
unprecedented design flexibility  
See pages 7 & 8 for more information



Tropical Colors:




Havana Gold



Spiced Rum



Tiki Torch



Lava Rock



Island Mist

Classic Earth Tones:



Tree House



Fire Pit




Rope Swing



Vintage Lantern



Gravel Path



**Recommended Fasteners:**

**Trex Hideaway™ & Universal Hidden  
Fastener System**

**FastenMaster TrapEase 3 Composite  
Deck Screws**

See page 11 for more information

## Trex Enhance™

Low maintenance composite that offers all the charm of real wood with it's high definition grain pattern, but none of the trouble.

- High performance shell is fade, stain and mold resistant
- Cleans easily with just soap and water or a pressure washer
- Soft, splinter-free finish is comfortable underfoot
- Backed by the Trex 25-Year Limited residential fade & stain warranty



Beach Dune



Clam Shell



Saddle

Available in:

- 1 x 6 - 12', 16' & 20' Square Edge
- 1 x 6 - 12', 16' & 20' Grooved for Hidden Fasteners
- 1 x 8 - 12' Fascia
- 1 x 12 - 12' Fascia

**Trex Transcend & Select Railing**  
features modular construction offering  
unprecedented design flexibility  
See pages 7 & 8 for more information

***Recommended Fasteners:***

**Trex Hideaway™ & Universal Hidden  
Fastener System**

**FastenMaster TrapEase 3 Composite  
Deck Screw**

See page 11 for more information


# Trex Select®

Trex Select decking adds Trex's legendary luxury to your home more affordably than ever. Select decking features the hallmark high-performance shell technology and nature-inspired colors.

- Stands up to both weather and wear, thanks to its Trex-sanctioned shell
- Resists stains and mold better than traditional composites
- Backed by the Trex 25-Year Limited Fade and Stain Warranty



Saddle



Pebble Grey



Winchester Grey



Madeira



Woodland Brown

Available in:

7/8 x 6 - 12', 16' & 20' Square Edge

7/8 x 6 - 12', 16' & 20' Grooved for Hidden Fasteners

1 x 8 - 12' Smooth Fascia

1 x 12 - 12' Smooth Fascia

2 x 6 - 12', 16' & 20' Square Edge

**Trex Transcend & Select Railing**  
features modular construction offering  
unprecedented design flexibility  
See pages 7 & 8 for more information

**Recommended Fasteners:**

**Trex Hideaway™ & Universal Hidden  
Fastener System**

**FastenMaster TrapEase 3 Composite  
Deck Screws**

See page 11 for more information



## Trex® Transcend®

### RAILING

Modular construction offers unique design flexibility and an endless mix of choices

- An elegant classic look
- A strong, sturdy look and feel
- No vibrating, squeaking or rattling, like vinyl railings
- Quick and easy assembly
- A price that delivers an exceptional value




Classic White



Charcoal Black



Tree House



Vintage Lantern



Fire Pit



Gravel Path



Rope Swing



Glass Panel

#### White Available in:

- Crown Top Rail - 67.5" & 91.5"
- Universal Top & Bottom Rail - 67.5" & 91.5"
- Accessory Infil Kits - 67.5" & 91.5"
- Glass Panel Accessory Kit 67.5" Panel Infil Kit - Glass Not Included
- 4" x 4" - 39" & 108" Post Sleeve
- 4" x 4" - Post Caps - Flat or Pyramid
- 4" x 4" - Post Skirt
- 6" x 6" - 39", 96" & 108" Post Sleeve
- 6" x 6" - Post Caps - Flat or Pyramid
- 6" x 6" - Post Skirt
- 30.375" & 36.375" Square Baluster
- 91.5" Horizontal/Stair Railing Baluster Spacer
- Adjustable Foot Block - 2 piece
- Horizontal/Stair Railing Cut Kits
- Bird's Mouth Gasket & Railing Support Bracket Kit

#### Colors Available in:

- Crown Top Rail - 67.5" & 91.5"
- Universal Top/Bottom Rail - 67.5" & 91.5"
- Accessory Infil Kits - 67.5" & 91.5"
- Glass Panel Accessory Kit 67.5" Panel Infil Kit - Glass Not Included
- 4" x 4" - 39" & 108" Post Sleeve
- 4" x 4" Post Caps - Flat or Pyramid
- 4" x 4" Post Skirt
- Horizontal/Stair Railing Cut Kit
- Bird's Mouth Gasket & Railing Support Bracket Kit
- 30.375" & 36.375" Square Composite Baluster
- 3/4" x 30" & 36" Round Aluminum Baluster (Avail. in Black, White & Bronze)

- 3/4" x 30" & 36" Square Aluminum Baluster (Avail. in Black, White & Bronze)
- 91.5" Horizontal/Stair Railing Baluster Spacer
- Adjustable Foot Block - 2 Piece

## Trex Select®

It's Trex, Simplified

- Never needs painting or staining
- Installs easily and quickly with an external bracket system
- Backed by the Trex 25-Year Limited Residential Warranty



Classic White



Available in:

- 36" & 42" Horizontal & Stair Rail Kits - 6' (67.5") w/ Square Balusters
- 36" & 42" Horizontal & Stair Rail Kits - 8' (91.5") w/ Square Balusters - Horizontal/Stair
- Mounting Hardware for Cut Rails - Horizontal/Stair
- 45 Degree Adapter Kit

## Trex Signature®


ALUMINUM RAILING



Classic White




Charcoal Black



Bronze

Minimalist Style. Maximum Strength.

- Aluminum possesses unparalleled strength with minimal geometry
- Compatible with any decking, balcony or patio out there
- Powder coating allows the aluminum to retain color and resist corrosion
- Offered with an array of bracket options for easy installation



Available in:

- 2.5" x 2.5" x 37" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 43" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 53" Post w. Cap & Skirt Horizontal
- 2.5" x 2.5" x 36" Crossover Post w Cap & Skirt - Horizontal
- 2.5" x 2.5" x 42" Crossover Post w Cap & Skirt - Horizontal
- 6' x 36" Rail Kit w Square Balusters - Horizontal/Stair
- 8' x 36" Rail Kit w Square Balusters - Horizontal/Stair
- 6' x 42" Rail Kit w Square Balusters - Horizontal/Stair
- 8' x 42" Rail Kit w Square Balusters - Horizontal/Stair
- 6' x 36" Rail Kit w Round Balusters - Horizontal/Stair
- 8' x 36" Rail Kit w Round Balusters - Horizontal/Stair
- 6' x 42" Rail Kit w Round Balusters - Horizontal/Stair
- 8' x 42" Rail Kit w Round Balusters - Horizontal/Stair

- Fixed Bracket - Horizontal/Stair - 4 Pack
- Swivel Bracket - Horizontal/Stair - 2 Pack Top & Bottom
- Compound Swivel Bracket - Stair - 2 Pack Top & Bottom
- Crossover Bracket Kit - Horizontal - 1 Pack
- Swivel Crossover Bracket Kit - Stair - 1 Pack
- Aluminum Footblock

### Aluminum Gates

- Fully Prefabricated, Welded Panels
- 36" & 42" Height x 48" Length
- Square & Round Balusters
- Available in White, Black & Bronze



## Trex® RainEscape®

DECK DRAINAGE SYSTEM

Double your outdoor living space

- Turns unused space into an outdoor room
- Clever trough system whisks water out through its own gutters
- No leaks, no sitting water
- Superior durability
- Fits both 12" & 16" joist spacing
- Industry leading 20 year warranty

Available in:

**Trough** 12' & 16' Lengths  
**Downspout**  
**Waterproof Tape** 4" x 50'  
**Butyl Caulk**



## Trex Elevations®


STEEL DECK FRAMING

Low maintenance outdoor living begins with a solid foundation. Trex Elevations helps you get it right the first time.

- No sagging, rotting or warping
- 25 year limited warranty
- Superior flatness & aesthetics
- Eco-friendly recyclable material
- Impermeable to wood boring insects and chemical free
- Non-combustible fire rating

Available in:


**Beams** 2" x 8" - 12', 16' & 20'  
**Joists** 1-5/8" x 8" - 12', 16' & 20'  
**Track (ledger)** 1-1/4" x 8" - 12', 16' & 20'  
**Beam End Cap**



Turns unused space under your deck into an outdoor living room when paired with the Trex RainEscape Deck Drainage System.



Recommended Simpson Connectors



Galvanized "L" bracket  
L70, L70S



Galvanized post bracket  
AC4, LCP4, AC6, LPC6



## Trex® Deck Lighting™

See your deck in a different light.

- Coordinates with the Trex Transcend decking color collection
- Energy-Efficient Cree LEDs are rated to over 40,000 hours of life
- Energy-Efficient Cree LEDs are up to 9.1 times more efficient than traditional incandescent fixtures
- Weather-proof and salt air resistant
- Covered by a Trex warranty
- All Trex lighting fixtures are Made in the USA.



*Trex LightHub connection system makes set-up a snap*

**Trex DeckLighting Colors** (Bronze comes in a textured finish all others a smooth finish)



Tree House



Gravel Path



Vintage Lantern



Classic White



Fire Pit



Charcoal Black



Rope Swing



Bronze  
(Deck rail & riser lights only)

### Trex DeckLighting

All Trex DeckLighting has a 5/6" Lighthub lead wire for easy connection to the 6-way splitter

- \* 4" x 4" LED Caps in Flat and Pyramid Styles
- \* LED Deck Rail Lights - 4 Pack (Classic White, Charcoal Black, Bronze)
- \* LED Riser Lights - 4 Pack (Classic White, Charcoal Black, Bronze)
- \* LED Recessed Deck Lights

### Trex LandscapeLighting

\* Path Lights, Well Light, Multi-function Light, Spotlights (Black only)

### Power and LightHub Accessories

- \* Transformer with Timer (8A 100 Watt & 2.5A 30 Watt)
- \* 5-Way Transformer Splitter for Landscape Lights
- \* Dimmer - Single Channel With Remote
- \* 3-Way & 6-Way Splitter, Wire Extension Cable 5', 10', 20', 40' & 60' & Female to Female Adapter

**Forstner Bit - 1"**



## Trex Transcend®

PORCH FLOORING & RAILING SYSTEM


- No sanding, staining or painting ever
- Mold & Mildew resistant
- Washes clean with soap and water
- Backed by the Trex 25-Year Limited Residential Fade & Stain Warranty
- Builds and cuts like traditional wood, no special tools
- Looks like hardwood flooring with virtually gap-free floor boards



Spiced Rum



Gravel Path



# Three Boards. One Fastener.



The FastenMaster TrapEase 3 is the only fastener guaranteed to create a clean finished look without pre-drilling in all three types of synthetic decking: Composite, PVC and Capstock. The new anti-strip Torx® TTAP® drive system, and a lifetime corrosion warranty make TrapEase 3 the Ultimate Composite Deck Screw.

### Torx® TTAP® Drive System

The new TrapEase 3 Torx® TTAP® Drive System features a stability button which delivers unmatched stick-fit and wobble free installation that eliminates fastener strip out.

### FastenMaster Spotter™

Much more than a lid, the Spotter is an installation guide that reduces installation time by consistently placing the fasteners and gapping the deck boards.

For more information or a product demo call a fastener expert at 800-518-3569



## CLIPSTONE

MORTARLESS STONE VENEER  
BY ENVIRONMENTAL STONERWORKS®



### easy to install

- No masonry skills required
- No special tools needed
- No foundation required
- Lightweight, mechanical fastening system
- No mortar, no mess
- No metal lath required
- No need to find studs
- Can be installed in all weather conditions
- Easy cleanup



### versatile

- Dress up your exterior cladding
- Use on any wall inside your home
- Build curb appeal

### worry free


- Durable product
- Requires no maintenance
- No sealing, painting or cleaning required
- Backed by a 50 Year Product Warranty

### simply beautiful

- Replicates the look of natural stone without the expense
- The beauty of stone masonry without any of the hassles
- No panelized look
- Overlapping stones provide natural joint look
- Variety of styles available
- Easy retrofit to any existing interior home or exterior cladding
- Dress up your curb appeal

### great performance

- Built-in, patent-pending water management system
- Significant air circulation behind the stone veneer
- Overlapping stone edges minimize gaps between stones
- Universal corners can be used in either direction
- Starter strip has built-in weep flashing



Poinset ProStack



Sand ProStack



Ash ProStack



Tan ProStack



Poinset Ledgestone



Sand Ledgestone



Ash Ledgestone



Tan Ledgestone



available corners & accessories in 2 color choices



Universal 4" tall Corners



Decorative Sills for Windows and Wainscot Cap



Decorative Sill / Wainscot Corners



Light Box

Utility Box

Non-ClipStone Products to Complete Your Project:



Hearth Stones

Corbels

Mantels

Starter Strips



The Look of Wood. The Luxury of Low Maintenance.

For the real look of wood, without the inherent maintenance, look no further. Here, you'll find the look you want—the style, curb appeal and elegance of wood—from Kleer PVC trim products. Plus, TruEdge technology provides a sealed edge that resists staining from dirt and grime, and easily wipes clean if dirt comes in contact with the trim-boards.

Kleer's innovative **TruEDGE® Technology** provides sharper, cleaner edges that resist dust and dirt, and a smooth finish that's easier to clean than wood trim or PVC boards with no sealed edge. Infused with UV inhibitors that prevent yellowing, they are perfect for creating authentic accents around windows, doors and more.



Available in:  
**Boards**

Kleer Packs 1 (3/4") x 4, 6, 8, 10 & 12 all 18' lengths  
5/4 (15/16") x 4, 6, 8, 10 & 12 all 18' lengths

Full Units 1 (3/4") x 4, 6, 8, 10, 12 & 16 all 18' lengths  
5/4 (15/16") x 4, 6, 8, 10, 12 & 16 all 18' lengths


Call for Sheets, Corners,  
Mouldings, Wraps &  
Accessories




**Cortex Fasteners for Kleer PVC Trim**  
The fastest, easiest way to hide fastener heads when installing Kleer PVC Trim. The finished look of Cortex for Kleer PVC trim is virtually invisible and can be painted if desired. ACQ approved.




## Kleer Mouldings




**CROWN** BMD-8272623  
7-1/2" Crown Moulding 5041C16




**CROWN** BMD-8272621  
5-1/2" Crown Moulding 5045P16




**CROWN** BMD-8272619  
4-5/8" Crown Moulding 5047P16




**CROWN** BMD-8272617  
3-5/8" Crown Moulding 5049P16



**CROWN** BMD-8272615  
2-3/4" Crown Moulding 5063C16



**CROWN** BMD-8272634  
Bed Moulding 5075P16



**CROWN** BMD-8272629  
Rams Crown 5158P16



# Kleer PVC Mouldings

			
<p><b>NEW</b></p> <p>CASING Back Band BMD-8272675 7931C16</p>	<p><b>NEW</b></p> <p>CASING 3-1/2" Flat with J BMD-8272673 7968C16</p>	<p>CASING J-Channel Brickmould BMD-8272631 5657P17</p>	<p>CASING Brickmould BMD-8272600 5180P17</p>
			
<p>DETAIL Base Cap BMD-8272643 5164P16</p>	<p><b>NEW</b></p> <p>DETAIL Weather Stop BMD-8272671 7951C16</p>	<p>DETAIL Band Moulding BMD-8272655 5168P16</p>	<p>DETAIL Quarter Round BMD-8272637 5234P16</p>
			
<p>DETAIL Water Table BMD-8272663 5170C18</p>	<p>DETAIL Cove/Scotia BMD-8272661 5245P16</p>	<p>DETAIL Baluster BMD-8272657 5150P12</p>	<p><b>NEW</b></p> <p>ROOFING DETAIL Imperial Rake BMD-8272669 7962C16</p>
			
<p>ROOFING DETAIL Rake Moulding BMD-8272659 5287P16</p>	<p>ROOFING DETAIL Shingle Band BMD-8272653 5210P16</p>	<p>WINDOW DETAIL Large Historic Sill BMD-8272665 7435C16</p>	<p>WINDOW DETAIL Historic Sill BMD-8272667 7650C16</p>
		<div data-bbox="938 1665 1417 1812" data-label="Image"> </div> <p data-bbox="995 1833 1377 1875"><b>KleerLumber.com</b></p> <p data-bbox="849 1917 1515 1976">KLEER TRIMBOARDS • BEADED KLEER • KLEER KONCEAL™ • KLEER MOULDINGS • KLEER SHEETS • KLEERWRAP™ • ADHESIVES</p>	
<p>WINDOW DETAIL Sill Nose BMD-8272677 5311P16</p>	<p>WINDOW DETAIL Drip Cap BMD-8272648 5283P16</p>		



## Ram Board®

SIZE: 38"x100' (317 SQ.FT.) | WEIGHT: 48 LBS. | THICKNESS: 46 MIL  
ITEM NUMBER: #5018131

### FEATURES & BENEFITS


- Heavy-duty temporary floor protection
- Exclusive Wall Guard® feature
- Vapor-Cure® technology
- Flex-Fiber® technology
- Save on labor & damage repair
- FSC® certified - recycled/recyclable
- Non-staining
- Reusable
- Lays out fast
- Spill Guard® technology
- 16 per pallet

## Seam Tape®

SIZE: 3"x164' (72 MM x 50M) | WEIGHT: 1 LBS.  
ITEM NUMBER: #5018150

### FEATURES & BENEFITS

- Contractor grade adhesive
- 3" width easily covers Ram Board seams
- Engineered to work specifically with Ram Board
- Unique kraft backing tears easily and creates an extremely durable, smooth finish
- 100% recyclable
- 16 per case



**Boise Cascade**

## MIRATEC<sup>®</sup> by JELD-WEN

### NO OTHER TRIM PERFORMS LIKE MIRATEC.

- Resists moisture, rot and termites.
- Reversible with a woodgrain texture on one side and a smooth surface on the other.
- Handles like wood; easy to machine, cut and nail.
- Won't check, split or crack.
- TEC™ patented manufacturing process makes MiraTEC a solid board that has uniform properties throughout for consistent performance in every piece.
- Primed 4 sides with an ultra-low VOC, white primer containing a mildewcide.
- Industry-best 50-year limited warranty



### SIZE MATTERS.

#### 5/8" ACTUAL THICKNESS

NOMINAL	SIZE		16' PIECES	
	ACTUAL	BUNDLE	UNIT	
2" x 192"	2"	12	336	
3" x 192"	2 3/4"	8	320	
4" x 192"	3 1/2"	8	240	
5" x 192"	4 1/2"	8	200	
6" x 192"	5 1/2"	4	160	
8" x 192"	7 1/4"	4	120	
10" x 192"	9 1/4"	4	100	
12" x 192"	11 1/4"	4	80	
16" x 192"	15 1/2"	2	60	

#### 4/4 NOMINAL THICKNESS (3/4" ACTUAL)

NOMINAL	SIZE		16' PIECES	
	ACTUAL	BUNDLE	UNIT	
2" x 192"	2"	12	336	
3" x 192"	2 3/4"	8	320	
4" x 192"	3 1/2"	8	240	
5" x 192"	4 1/2"	8	200	
6" x 192"	5 1/2"	4	160	
8" x 192"	7 1/4"	4	120	
10" x 192"	9 1/4"	4	100	
12" x 192"	11 1/4"	4	80	
16" x 192"	15 1/2"	2	60	

#### 5/4 NOMINAL THICKNESS (1" ACTUAL)

NOMINAL	SIZE		16' PIECES	
	ACTUAL	BUNDLE	UNIT	
2" x 192"	2"	9	252	
3" x 192"	2 3/4"	6	240	
4" x 192"	3 1/2"	6	180	
5" x 192"	4 1/2"	6	150	
6" x 192"	5 1/2"	3	120	
8" x 192"	7 1/4"	3	90	
10" x 192"	9 1/4"	3	75	
12" x 192"	11 1/4"	3	60	
16" x 192"	15 1/2"	2	42	



## James Hardie

### Siding | Trim

Installed on over 5.5 million homes from coast to coast, James Hardie® fiber cement siding products are specifically engineered to resist damage from extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

#### UNIQUE FORMULATION

Only James Hardie fiber cement products are Engineered for Climate® for enhanced strength and moisture protection. HZ5® products resist shrinking, swelling and cracking in wet or freezing conditions. HZ10® products help protect homes in hot, humid conditions.

#### FINISHING TECHNOLOGY

ColorPlus® Technology baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

#### COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

# ColorPlus® Technology Color Selection



ARCTIC WHITE



NAVAJO BEIGE



COBBLE STONE



PEARL GRAY



LIGHT MIST



SAIL CLOTH




SANDSTONE BEIGE



MONTEREY TAUPE



GRAY SLATE




BOOTHBAY BLUE



WOODLAND CREAM



AUTUMN TAN




WOODSTOCK BROWN



AGED PEWTER




EVENING BLUE



HEATHERED MOSS



KHAKI BROWN



TIMBER BARK



NIGHT GRAY



IRON GRAY



MOUNTAIN SAGE



CHESTNUT BROWN



COUNTRYLANE RED



RICH ESPRESSO



DEEP OCEAN

## SOFFIT AND SMOOTH TRIM COLORS



ARCTIC WHITE



SAIL CLOTH



NAVAJO BEIGE



WOODSTOCK BROWN




ARCTIC WHITE




COBBLE STONE



AUTUMN TAN



SANDSTONE BEIGE



TIMBER BARK



PEARL GRAY



KHAKI BROWN




MONTEREY TAUPE


## ROUGHSAWN TRIM COLOR



## Stocking Profiles (Primed Finish)



## Other Available Profiles (Clear Anodized, Powder Coat Match)



Designed for use with  
James Hardie Fiber  
Cement Siding Products





GreenGuard®


## Moisture Management • Energy Efficiency

[www.TrustGreenGuard.com](http://www.TrustGreenGuard.com)



GreenGuard® XPS

Type IV  
25 PSI



**GreenGuard® XPS** Insulation Board is ideal for applications where moisture resistance and long-term R-Value are desired. As Continuous Insulation (Ci) in walls, slabs and foundations, GreenGuard® XPS provides R-Value of 5 per inch of thickness. XPS Type IV is suitable for applications requiring up to 25 PSI compressive strength. With low water absorption, light weight, and easy cutting, GreenGuard® XPS is a workable, effective insulation choice.



GreenGuard® MAX™



**GreenGuard® MAX™** Building Wrap is a recognized air barrier listed with [www.airbarrier.org](http://www.airbarrier.org), and has demonstrated water holdout capabilities in industry-recognized water resistance tests. This non-perforated wrap also breathes to allow moisture vapor to escape. With its high tear resistance, it is suitable for commercial and residential applications. It remains UV stable up to 6 months.

### Water Barrier • Air Barrier Commercial Grade Durability



GreenGuard® DC14



**Virtually Unrestricted Drainage and Drying**  
**GreenGuard® DC14 Drainage Mat** is a unique, light-weight polystyrene mat used for water drainage and air movement behind substrates. It does not absorb water and is resistant to wood chemicals. Drainage channels on 2-sides.

1/4" x 4' x 48' Fanfolded Bundle




GreenGuard® Butyl  
Flashing



**GreenGuard® Butyl Flashings** provide high-performance water resistance for walls. They adhere across a broad range of installation temperatures, ensuring effectiveness in all climates. And they conform to irregular surfaces, eliminating gaps that could create water canals.

**GreenGuard® SuperStretch™ Butyl Flashing** stretches in any direction and sticks tight, making it easy to use and effective for curved surfaces and corners.

*Protect Against Moisture, Air, Water Leaks & Corrosion with*



**gcp** applied technologies

GRACE CONSTRUCTION & PACKAGING

With today's innovative designs, reducing risk requires advanced envelope solutions that maximize building performance. Your building must perform flawlessly under a wide variety of conditions—year after year—while delivering ultimate moisture protection and long-term durability. Count on GCP Applied Technologies for comprehensive solutions to protect your building envelope's integrity—as well as your own.



**TRI-FLEX® XT**



**TRI-FLEX® 15**



**Available In:**


- 36”x75’ 225 SQFT Ice & Water Shield
- 36”x36’ 108 SQFT Ice & Water Shield 1 SQ
- 36”x66.7’ 200 SQFT Ice & Water Shield 2 SQ
- 36”x75’ 225 SQFT Ice & Water Shield HT
- 36”x66.6’ 200 SQFT Ice & Water Shield HT
- 48”x250’ Tri-Flex 15 10 SQ

- 48”x250’ Tri-Flex XT 10 SQ
- 36”x65’ 25 MIL Select Self Adhering Underlayment
- 4”, 6” & 9”x75’ Vycor Plus - Packaged
- 4”, 6”, 9” & 12”x75’ Vycor Plus - Bulk
- 40”x120’ 450 SQFT Vycor enV-S



# Roofing Underlayments

## PRODUCT SELECTION GUIDE

Self-Adhered Smooth Surface Underlayments		Synthetic Underlayments			
	<p><b>Grace Ice &amp; Water Shield®</b></p> <p><b>The Original, Best in Class Underlayment</b></p> <ul style="list-style-type: none"> <li>Versatile – Suitable for use under most roof coverings, including asphalt shingles, mechanically attached tiles and most standing seam metal roofs</li> <li>Highest quality seal around roofing fasteners – Provides confidence that your client's roof won't leak</li> <li>Strong adhesion to the roof deck – Prevents costly leaks caused by ice dams and wind-driven rain</li> <li>Easily forms watertight laps – Provides watertight installation with NO special treatment of the laps</li> <li>Ripcord® Split Release on Demand – Makes it easier to waterproof detail areas such as valleys, chimneys and roof-to-wall transitions</li> </ul>	<p><b>Grace Ice &amp; Water Shield® HT</b></p> <p><b>Meets the Challenges Inherent in Metal Roofs</b></p> <ul style="list-style-type: none"> <li>High thermal stability – Suitable for high temperature roof designs including most metal roofs and heavily insulated assemblies</li> <li>Highest quality seal around roofing fasteners – Delivers best in class roof leak protection</li> <li>Strong adhesion to the roof deck – Ensures watertight seal so you can be confident that your client's roof won't leak</li> <li>Easily forms watertight laps – Provides watertight installation with NO special treatment of the laps</li> <li>Ripcord® Split Release on Demand – Simplifies installation around detail areas</li> </ul>	<p><b>Grace Ultra™</b></p> <p><b>Designed for Extreme Temperature Roof Assemblies</b></p> <ul style="list-style-type: none"> <li>100% butyl adhesive – Ideal for use in elevated temperatures, for copper, zinc and COR-TEK® roofs, or any application where superior heat resistance is required</li> <li>Superior protection for expensive metal roofs – Protect your client's high-end roof coverings with Grace Ultra's™ uniquely formulated solution</li> <li>Strong adhesion to roof deck and forms high quality laps – Ensures watertight seal and premium leak protection</li> <li>Compatible with EPDM and TPO roofing materials – Provides watertight transition between low slope and steep slope roofs</li> </ul>	<p><b>Grace Select™</b></p> <p><b>The Performance Alternative to Granulars</b></p> <ul style="list-style-type: none"> <li>Lightweight – Great performance at minimal weight</li> <li>Superior lap adhesion – Better protection against leaks</li> <li>Re-rollable – Shingles can be easily removed from existing Grace Select™ underlayment during re-roofing</li> <li>Higher adhesive content, no fillers – Strong defense against ice dams and wind-driven rain</li> <li>Proprietary film surface – Superior foot traction without loose granules; scuff free surface</li> </ul>	
<p><b>Key Benefits</b></p>	<p><b>Exposure</b></p> <p>90 days</p>	<p><b>Exposure</b></p> <p>120 days</p>	<p><b>Exposure</b></p> <p>120 days</p>	<p><b>Exposure</b></p> <p>30 days</p>	
<p><b>Size</b></p> <p>108 SF, 200 SF, 250 SF Rolls</p>	<p><b>Size</b></p> <p>200 SF, 250 SF Rolls</p>	<p><b>Size</b></p> <p>198 SF Rolls</p>	<p><b>Size</b></p> <p>195 SF Rolls</p>	<p><b>Size</b></p> <p>10 Square Rolls</p>	
				<p><b>TRI-FLEX® XT</b></p> <p><b>Premium Performance Synthetic Underlayment</b></p> <ul style="list-style-type: none"> <li>Improved Slip Resistant Surface – New coating provides superior foot traction</li> <li>20 times stronger – Withstands higher wind conditions</li> <li>5 times more coverage per roll – Increased efficiency</li> <li>Durable – Can be left exposed up to 6 months</li> <li>Lighter weight – Fast and easy installation</li> <li>100% recyclable – Contributes to sustainability and LEED</li> </ul>	<p><b>TRI-FLEX® 15</b></p> <p><b>Performance Alternative to #15 Felt</b></p> <ul style="list-style-type: none"> <li>10 times stronger – Withstands higher wind conditions</li> <li>2.3 times more coverage per roll – Increased efficiency</li> <li>Slip resistant surface – Provides superior foot traction</li> <li>Lighter weight – Fast and easy installation</li> <li>100% recyclable – Contributes to sustainability and LEED</li> </ul>
				<p><b>Exposure</b></p> <p>180 days</p>	<p><b>Exposure</b></p> <p>60 days</p>
				<p><b>Size</b></p> <p>10 Square Rolls</p>	<p><b>Size</b></p> <p>10 Square Rolls</p>

THE BRAND YOU KNOW AND TRUST HAS A NEW NAME



GRACE®, RIPCORD®, TRI-FLEX®, ICE AND WATER SHIELD®, GRACE SELECT™, GRACE SYN 15™, and GRACE ULTRA™ are trademarks of GCP Applied Technologies, Inc. COR-TEK™ is a trademark of GCP Applied Technologies, Inc. All rights reserved. We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate and is offered for the user's consideration, investigation and verification, but we do not warrant the results to be obtained. Please read all statements, recommendations or suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation or suggestion is intended for any use which would infringe any patent or copyright. GCP Applied Technologies, Inc., 62 Whittemore Avenue, Cambridge, MA 02140. In Canada, GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6. These products may be covered by patents or patents pending. RE0096, UL-171-0410. Printed in U.S.A.

gcpat.com | For technical assistance call toll free at 866-333-358M (3726)



**Boise Cascade**  
*Engineered Wood Products*

### Boise BCI & AllJoist I-Joists

BCI 5000 Series 2" x 11-7/8  
AJS 20 Series 2-1/2" x 11-7/8, 14 & 16  
AJS 25 Series 3-1/2" x 11-7/8, 14 & 16  
All series available for full unit or truckload orders

### Boise Versa-Lam Beams

1-3/4" x 7-1/4, 9-1/4, 11-1/4,  
11-7/8, 14, 16, 18, 20, 22, 24  
3-1/2 & 5-1/2 thickness available in full unit quantities

### Boise Versa-Lam Columns

3-1/2" x 3-1/2, 5-1/4 & 7  
5-1/4" x 5-1/4 & 7

### Rim Board

APA Rated OSB Rim  
1" x 9-1/2 x 12  
1" x 11-7/8 x 12  
1" x 14 x 12  
1" x 16 x 12



We stock




EWP Connectors



New BC FRAMER® represents a huge technological leap to help you improve the efficiency and profitability of your engineered wood products business. Boise Cascade will provide you what we believe is now the industry's best design software, offering far greater productivity than even our current version of BC FRAMER®. This new software package will help your design department work faster and accomplish more. You don't get paid to do drawings, but at least now you can do them in less time, and better.

- Shrink design time with BC FRAMER® model sharing.
- Save time & prevent mistakes with best-in-industry file integration.
- Experience the efficiencies of BC FRAMER® whole house modeling.
- Draw floor and wall plans simultaneously with BC FRAMER®.
- Check the plan every possible way with BC FRAMER® full 3-D viewer.
- Create a master plan and multiple options that can be quickly selected and exported to a plot-specific file in a few minutes – a fraction of the time it could have taken in the past.

Information can also be obtained at 1-800-405-5969 or email us at [EWPSupport@BC.com](mailto:EWPSupport@BC.com).



### RECOMMENDED HARDWARE

- **CPU:** Quad Core 64 bit Processor
- **L2 Cache:** 3MB/Core
- **RAM:** 4.0GB to 8.0GB
- **Video:** Full support for DirectX 9; Single monitors, 1280x1024 128MB; Dual monitor, 1280x1024 256MB (Minimum 1024x768)
- **Operating Systems:** Windows® 7 or 8 (Professional Editions 32-bit and 64-bit)

Actual specifications vary by user and will be assessed prior to installation.

## BC CALC® 4.0 Sizing Software

BC CALC® is simple to use, yet robust enough to analyze most all joist, beam, and column applications. Once an analysis is run, the user may print an easy-to-read design report that displays the span and load information with the analysis results.

BC COLUMN® has now been merged into BC CALC®, allowing the sizing of joists, beams, rafters, columns, and studs all in one convenient program.

In addition to BCI® & AJS® Joists, VERSA-LAM®, and BOISE GLULAM®, BC CALC® also offers the analysis of solid sawn lumber and timber members. Thus BC CALC® is the only program needed to analyze structural wood members.



Give Us a Try!




Boise Cascade has provided BC CALC® free of charge to the design community since 1994.

### COMPUTER REQUIREMENTS

PC with any current version of MS Windows®, along with an internet connection. For questions regarding BC CALC®, call 1-800-405-5969 or email [EWPSupport@BC.com](mailto:EWPSupport@BC.com).

To Download BC CALC US,

<http://www.bc.com/wood/ewp/software/bccalc.html>



# POWER PRESERVED GLULAM<sup>®</sup> BEAMS AND COLUMNS



*Tomorrow's Engineered Wood - Today<sup>SM</sup>*

Certified Building Products



Treated Beams in stock: 3-1/2" x 11-7/8  
5-1/4" x 14

Anthony Power Beams and Columns as well as Architectural Grade Beams are available by special order. Call for prices & lead times.


## FOR A QUALITY BUILD EVERY TIME.




### FLAT OUT BEST™ FOR A QUIET, STIFF FLOOR

Build strong with the flooring that's engineered to resist swelling, cupping and delamination. AdvanTech® flooring features industry-leading strength and stiffness, superior moisture resistance and superb fastener-holding to deliver the quiet, solid feel of a quality built home.


[AdvanTechStrong.com](http://AdvanTechStrong.com)



Industry-leading Strength and Stiffness



Superior Moisture Resistance



Superb Fastener Holding Power



Installation Speed and Ease



### THE FASTEST WAY TO THE PERFECT TIGHT HOUSE™

Zip it tight™ with the extreme protection of ZIP System® sheathing & tape. It's a one-of-a-kind structural roof and wall system with a built-in energy-efficient barrier that keeps air and moisture out, installs with ease and adds structural durability for a quality built home.

[ZIPsystem.com](http://ZIPsystem.com)



Installation Speed and Ease



Superior Moisture Protection



Superior Air Protection



Structural Durability



Ask us about our first-time user rebates.



© 2014 Huber Engineered Woods LLC. AdvanTech, ZIP System, the accompanying AdvanTech and ZIP System logos and designs are trademarks of Huber Engineered Woods LLC. Huber is a registered trademark of J.M. Huber Corporation. HUB 3106 08/14

With its high-quality faces and stable composed-core construction, ARAUCOPLY offers a mix of Sanded, Beaded and Siding plywood that delivers the flatness and stability needed for casework, underlayment, coffered ceilings and other high-performance applications, inside and outside. All our panels are made from certified, sustainable plantation-grown pine, so they perform right for the environment as well.

## Sanded Panels

### Product Features

- 100% Radiata Pine
- Stable composed core with minimum voids
- High quality solid face
- Ideal for interior and exterior applications
- Pre-sanded and ready to finish
- Allows a variety of finishes
- 7 Ply 23/32" construction enhances stability

### A Grades

- No more than 6 wood patches
- No more than 6 synthetic repairs

### B Grades

- Limited wood patches
- No more than 8 synthetic repairs

### Cp Grades

- All type of repairs are accepted
- Open defects are not accepted

### Applications

- Staircases
- Table and counter tops
- Base panel for high-pressure lamination
- General industrial applications
- Cabinets and furniture
- Underlayment
- General DIY projects

Available Thicknesses	
In 48"x96"	1/4" - 11/32" - 15/32"
	19/32" - 23/32" - 31/32"

## Beaded Panels

### Product Features

- 100% Radiata Pine
- Stable composed core
- Ideal for interior and exterior applications
- Pre-sanded and ready to finish
- Available in shiplap and square-edge
- 2"OC beaded pattern
- 150 grit sanded

### Natural Bead

- Clear face
- No wood patches
- No synthetic repairs
- Ideal for staining

### Star Bead

- No more than 6 wood patches
- No synthetic face repairs
- Perfect for painting

### Applications

- Wainscoting
- Decorative paneling for interior
- Exterior Porch Ceilings
- Soffits
- Cabinets
- Furniture

Available Thicknesses	
In 48"x96"	11/32"

## Siding Panels

### Product Features

- 100% Radiata Pine
- Composed core
- Less resinous face
- Uniform light color
- Easily accepts paints and stains
- Rough sawn surface texture
- Available in: shiplap and square-edge

### Premium Siding

- No more than 6 wood patches
- No synthetic repairs

### Siding

- Limited wood patches
- No more than 8 synthetic face repairs

### Applications

- Siding

Available Thicknesses		
In 48"x96"	11/32" - 15/32" - 19/32"	
In 48"x108"	19/32"	

# ARAUCOPLY™

**SUPERIOR APPEARANCE**  
Produced with pruned logs

**STABLE COMPOSED CORE**  
Minimal core voids

**150 GRIT**  
Smooth finish

PS 1-09

ISO 14001

OHSAS 18001

ANSI/APA PRP 210-2008

FSC®



### ARAUCO

5901B Peachtree Dunwoody, Rd. NE, Suite 500  
Atlanta, GA 30328  
Phone: 770-350-1634 / 770-350-1644  
marketing@arauco-na.com



## ARAUCO

For more than 45 years, ARAUCO has been driven forward by its vision of being a global leader in the development of sustainable forest products, which has allowed us to become one of the largest and most respected forestry companies in the world.

ARAUCO's success is based on satisfying our customers with quality products and services while balancing the company's needs with those of our employees, the environment, and the people who live near our facilities and plantations. This is the starting point for the responsible and efficient management of our natural resources, the occupational health and safety of our workers and our active contribution to social development and welfare in the communities in which we operate.

All ARAUCO-branded products sold in North America originate in sustainably managed plantation forests in Chile, Brazil, Argentina, and Uruguay. No native forest wood or genetically modified trees are used to produce any ARAUCO product.



www.arauco-na.com



### ARAUCOPLY Grooving Options

Model	Grooving Options	Profile		Finishing
Siding	Deep Groove		4" OC, 8" OC 12" OC	Rough Sawn Sanded
	Shallow Groove		4", 8" OC	Rough Sawn Sanded
	No Groove		N/A	Rough Sawn
Beaded	W - Groove		2" OC	Sanded
	V - Groove		4" OC	Sanded

# **PYRO-GUARD**®

INTERIOR FIRE REARDANT TREATED LUMBER AND PLYWOOD



- **PYRO-GUARD** is manufactured by Hoover Treated wood Products utilizing the highest quality components.
- **PYRO-GUARD** is available in an array of species for lumber & plywood including Southern Yellow Pine, Spruce And Douglas Fir.
- **PYRO-GUARD** PLUS resists termite attack and decay in weather-protected, above ground applications including direct contact with concrete on grade.
- ICC-ES-ESR-1791 demonstrates that **PYRO-GUARD** is fully compliant with the building code requirements for “Fire Retardant Treated Wood”.
- **PYRO-GUARD** PLUS is for use against termite & fungal decay, and contains an EPA registered pesticide.
- **PYRO-GUARD** treated wood products are 3rd party monitored by Underwriters Laboratories (U.L.) and Timber Products Inspection (T.P.I.). Quality Control is provided at all Hoover **PYRO-GUARD** manufacturing facilities and overview QC is provided by Hoover Corporate Laboratory facilities.
- Hoover’s **PYRO-GUARD** chemical and treating facilities are at the same plant locations. They manufacture their own formulations.
- Hoover’s **PYRO-GUARD** Warranty is comprehensive and straightforward.
- The **PYRO-GUARD** Warranty follows the product owner. Warranty registration is never required. Please refer to the one-page **PYRO-GUARD** Warranty for more information.
- Visit [www.FRTW.com](http://www.FRTW.com) for warranty information and supportig technical documents.



# Long Lengths / Boise Cascade Boards

## We Stock Long Length's & Boards!

### Hem Fir #2 Long Length

			22'	24'	26'	28'		
		2 X 6	In Stock	In Stock	In Stock	Non Stock		
		2 X 8	In Stock	In Stock	In Stock	In Stock		
		2 X 10	In Stock	In Stock	In Stock	In Stock		
		2 X 12	In Stock	In Stock	In Stock	In Stock		

### Southern Yellow Pine #1 Long Dimension

	8'	10'	12'	14'	16'	18'	20'	24'
2 X 8	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock
2 X 10	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock
2 X 12	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock	In Stock

### BOISE CASCADE Ponderosa Pine Boards #2 & Btr.

			8'	10'	12'	14'	16'	
		1 X 4	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 6	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 8	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 10	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 12	In Stock	In Stock	In Stock	In Stock	In Stock	

### BOISE CASCADE Ponderosa Pine #2 & Btr. PATT#116/WP4

			8'	10'	12'	14'	16'	
		1 X 6	Non Stock	Non Stock	In Stock	Non Stock	In Stock	
		1 X 8	In Stock	In Stock	In Stock	In Stock	In Stock	

### Ponderosa Pine Boards #3

			8'	10'	12'	14'	16'	
		1 X 4	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 6	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 8	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 10	In Stock	In Stock	In Stock	In Stock	In Stock	
		1 X 12	In Stock	In Stock	In Stock	In Stock	In Stock	

### Spruce #3 S4S

			8'	10'	12'	14'	16'	
		1 X 4	In Stock	In Stock	In Stock	In Stock	In Stock	

### Premium Furring

			8'	10'	12'	14'	16'	
		1 X 2	Stock	Non Stock	Non Stock	Non Stock	Non Stock	
		1 X 3	Stock	Non Stock	Stock	Non Stock	Stock	
		2 X 2	Stock	Non Stock	Stock	Non Stock	Stock	
		4 X 4 Doug Fir	Stock	Stock				